

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Offer Details Functionality	1	0	1	0	1 m 7.018 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Offer Details Functionality	To check the functionality of Finance details section in Offer	17	14	1	2	1 m 7.015 s
		Details					

DETAILED SECTION -- 4 --

(F)- Offer Details Functionality

FAILED	DURATION - 1 m 7.018 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 2:14:35.956 PN	Л // 2:15:42.974 PM /	Pass - 0	1	Pass - 14	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- To check the functionality of Finance details section in Offer Details



#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application	PASSED	55.554 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	MARION BILL STATE OF THE STATE		
2	And User Login as maker	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		


3 And Navigate to Mail box AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And Sarch the value in Mail box AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And Sarch the value in Mail box AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s		Company of the compan		
screenshot 4 And Sarch the value in Mail box AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s	3	And Navigate to Mail box	PASSED	0.247 s
4 And Sarch the value in Mail box AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s 6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
4 And Sarch the value in Mail box AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s PASSED 0.183 s		Blow to the second of the seco		
Screenshot 5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s PASSED 0.183 s	4	And Sarch the value in Mail box	PASSED	0.106 s
5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s PASSED 0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s PASSED 0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s		© to the state of		
Screenshot 6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s	5	And Click on action icon of first record in offering details	PASSED	2.125 s
6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		Normal Property Normal Pro		
	6	Then open Facility Info Record	PASSED	1.116 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
		screenshot		

7 Then Verify Offer Details Section displayed data should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then verify all the fields should be available on the Finance Details section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then verify all the fields should be available on the Finance Details section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.085 s 0.184 s		ALISTIC Suppose Column		
Screenshot 8 Then verify all the fields should be available on the Finance Details section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.408 s 0.094 s 0.184 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s 0.095 s	7			
8 Then verify all the fields should be available on the Finance Details section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.408 s 0.094 s 0.184 s PASSED 0.184 s PASSED 0.095 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.094 s 0.184 s 0.184 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.094 s 0.184 s 0.184 s		ARAPTO SALON DE DE DE CONTROL DE DE CONTROL		
9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.184 s PASSED 0.095 s	8	Then verify all the fields should be available on the Finance Details section	PASSED	0.408 s
9 Then verify the field Total Down Payment Amount should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s 0.095 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.095 s		ALDONO ALDONO		
	9	Then verify the field Total Down Payment Amount should be in read only mode	PASSED	0.184 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
ALENTO SHOOT IN SEC. WE SEE SEE SEE SEE SEE SEE SEE SEE SEE		screenshot		
		ALROY BE TO THE CONTROL OF THE CONTR		
Then verify the field Profit Amount should be in read only mode PASSED 0.147 s	10	Then verify the field Profit Amount should be in read only mode	PASSED	0.147 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.090 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
egrouphat		screenshot		


# Step / Hook D	etails Status	Duration
ASENTO BALOND B B B B B B B B B B B B B B B B B B B		
Then verify the field Total Contract Value should be in read only mode	PASSED	0.167 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucum	ber.java.Scenario) PASSED	0.082 s
screenshot		
A SENTICE		
12 Then verify the field Additional Down payment should be in read only		0.171 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucum	ber.java.Scenario) PASSED	0.091 s
Screenshot NAME OF THE PROPERTY OF THE PROPER		
13 Then verify the field Down Payment Percentage should be in read onl	y mode PASSED	0.221 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucum	ber.java.Scenario) PASSED	0.091 s
screenshot		
AND B B B B B B B B B B B B B B B B B B B		
14 Then verify all the fields should be available on the Credit Risk Factor	section PASSED	0.089 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucum	per.java.Scenario) PASSED	0.084 s
screenshot		

#	Step / Hook Details	Status	Duration
	ALTHON		
15	Then verify all the fields of Credit Risk Factor section should be in read only mode	FAILED	0.067 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because the return value of "org.openqa.selenium. WebElement.getAttribute(String)" is null at stepdefinitions.OfferDetails.verify_all_the_fields_of_credit_risk_factor_section_should_be_in_read_only_mode(OfferDetails.java:189) at ?.verify all the fields of Credit Risk Factor section should be in read only mode(file:///C:/Users/inindc00074/git/Arul2609/Arul_AzentioULSFramework9/src/test/java/features/OfferDetails.feature:29) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
	ACTION		
16	Then verify all the fields should be available on the Credit Score Details section	SKIPPED	0.000 s
17	Then verify all the fields of Credit Score Details section should be in read only mode	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

