


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details	1	0	1	0	41.604 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property	verify while modification, when user keep any mandatory	13	12	1	0	41.599 s
	Details	field blank and click on save button					

DETAILED SECTION

(F)- Check the functionality of Property Details

FAILED	DURATION - 41.604 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 12:40:29.549	pm // 12:41:11.153 pm /	Pass - 0	1	Pass - 12	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- verify while modification, when user keep any mandatory field blank and click on save button

FAILED	DURATION - 41.599 s		П		-		-	-			-	-		-			Steps			
/ 12:40:29 5	54 pm // 12:41:11.153 pm /	15	#1	-	-	-	-	-	-!	-	-	-!	-	-!		!	Total - 13			
		10	#1	•						- j	-	-j					Pass - 12		13	
Check the fur	nctionality of Property Details	5	†	-													Fail - 1		رنا	,
@AT PD 00	 95	0	-					- -	-	-		-		-	<u> </u>		Skip - 0	\		
				1	2	3	4	5	6	7	8	9	10	11	12	13				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	18.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.649 s
	screenshot		
	A SERVICE		
2	And user click on Inbox Icon	PASSED	0.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
	AZENTO AZENTO		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And user search Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AAI user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.767 s	#	Step / Hook Details	Status	Duration
And user search Appdata Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on First record of Appdata Entry Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.137 s Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.767 s	3	And user click search icon	PASSED	0.174 s
And user search Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.75 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
4 And user search Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And user choose Property Details Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And user choose Property Details Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.757 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s		The state of the		
screenshot And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s	4	And user search Appdata Entry	PASSED	0.245 s
And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s PASSED 0.706 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.137 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s 0.706 s 1.137 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s				
Screenshot And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user click First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s 0.706 s 1.474 s PASSED 1.474 s PASSED 0.706 s	5	And user click on First record of Appdata Entry	PASSED	0.161 s
And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s 0.706 s 1.474 s PASSED 0.706 s 1.137 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.479 s
And user choose Property Details Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s PASSED 0.706 s 1.137 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user click First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.137 s PASSED 0.757 s		The state of the		
Screenshot 7 And user click First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s	6	And user choose Property Details Tab	PASSED	1.474 s
7 And user click First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.706 s
And user click First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s				
	7	And user click First Record Edit Icon	PASSED	1.137 s
and another than the state of t		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.757 s
Screenshot		screenshot	\neg	

	Status	<u>'</u>	#
		AZSATIO	
1.846 s	PASSED	And user Modify the Security Type	8
0.159 s	PASSED	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	
		ASENTO	
1.217 s	PASSED	And user Modify the Property City	9
0.154 s	PASSED	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
		screenshot	
		A 2	
1.033 s	PASSED	And user Modify the Property Type	10
0.154 s	PASSED	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
		screenshot	
		AZENTO	
1.044 s	PASSED	And user Modify the Apf Status	11
0.164 s	PASSED	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
		screenshot	
0.154 s 1.033 s 0.154 s	PASSED PASSED PASSED PASSED	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user Modify the Property Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user Modify the Apf Status AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	10

#	Step / Hook Details	Status	Duration
	AZENTEC		
12	And user Blank fill the Mandatory field and try to save the Record	PASSED	1.147 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
	Scientific		
	A A A A A A A A A A		
13	Then user verify the Required field proper validation message	FAILED	0.052 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-badge[contains(text(),'Required field')])[1]"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [4c0ded4d531aa5c868e6d9d67d3eee75, findElement {using=xpath, value=(//ion-badge[contains(text(),'Required field')])[1]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53413}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53413/devtoo, se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4c0ded4d531aa5c868e6d9d67d3eee75		
	at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:159)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:102)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org. open qui con anni tennoten tennote v obbriver anni di content (tennote v obbriver javat. o 10)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at stepdefinitions.Subproduct_MasterRetail.user_verify_the_required_field_proper_validation_message(Subproduct_MasterRetail.java:738) at ?.user verify the Required field proper validation message(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/Property_Details.feature:117) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.170 s
	ACTION OF THE PROPERTY OF THE		


(F) Check the functionality of Property

Details




AZENTIO Engl... LOS V Aze... V (Step) AFTER STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) Dashboard APP CREATE CREOFF in02040 OFFERING 16-Sep-2022 11:12 Configurations APP_CREATE CPUEXEC in02040 16-Sep-2022 10:53 X Transactions APP CREATE APPDATAENT CPUEXEC 15-Sep-2022 19:12 Reports APP_CREATE DISBMKR OPEMKR in02040 15-Sep-2022 17:24 APP_CREATE (S) verify while modification, when user APP_CREATE DISRMKR 15-Sep-2022 14:24 keep any mandatory field blank and click APP_CREATE OFFERING CREOFF 15-Sep-2022 14:23 in02040 on save button 15-Sep-2022 13:2 2, 512 APP_CREATE ΔΡΡΠΔΤΔΕΝΤ CPUEXEC in02040 15-Sep-2022 11:58 2, APP_CREATE 15-Sep-2022 11:36

EXPANDED SECTION -- 10 --




Details




-- 11 --


EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

