

# Cucumber Report

Aug 8, 2022, 3:15:26 PM

Start : Aug 08, 3:15:06.780 PM

End : Aug 08, 3:15:25.758 PM

Duration : 18.978 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 14  
FAILED - 1  
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	18.978 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral-</u>	27	14	1	12	18.973 s



**(F)- collateral Functionality**

<b>FAILED</b>	<b>DURATION - 18.978 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 14 Fail - 1 Skip - 12	
/ 3:15:06.780 PM // 3:15:25.758 PM /					

**(S)- collateral-**


<div>FAILED</div> <div>DURATION - 18.973 s</div>		<div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 3:15:06.785 PM // 3:15:25.758 PM /</div>				
<div>collateral Functionality</div>				
<div>@m7</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.504 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
4	Then click on Language tab	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
			
5	Then select French language	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
6	Then click on collateral eye icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on collateral add button	PASSED	1.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
			
8	Then Enter collateral French Description	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
9	Then click on collateral back button	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
10	Then click on Language tab	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then select German language	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
			
12	Then click on collateral eye icon	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
			
13	Then click on collateral add button	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
			
14	Then Enter collateral German Description	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	<p>Then click on collateral back button</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span class="p-button-icon pi pi-arrow-left" aria-hidden="true"&gt;&lt;/span&gt; is not clickable at point (291, 118). Other element would receive the click: &lt;div class="p-tooltip-text"&gt;...&lt;/div&gt; (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fcbd72df8a77595ecd8f1cba38d8495d, clickElement {id=c3da5a21-3e07-41ac-9598-09d5e43ed8f5}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52543}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52543/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (fcbd72df8a77595ecd8f1cba38d8495d)] -&gt; xpath: //button[@ng-reflect-text='Go Back']/span[1]] Session ID: fcbd72df8a77595ecd8f1cba38d8495d</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Collateral.click_on_collateral_back_button(Collateral.java:153) at ?.click on collateral back button(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:141) </pre>	FAILED	1.107 s




#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.093 s
16	Then click on Language tab	SKIPPED	0.001 s
17	Then select Arabic language	SKIPPED	0.000 s
18	Then click on collateral eye icon	SKIPPED	0.000 s
19	Then click on collateral add button	SKIPPED	0.000 s
20	Then Enter collateral Arabic Description	SKIPPED	0.000 s
21	Then click on collateral back button	SKIPPED	0.001 s
22	Then click on Language tab	SKIPPED	0.000 s
23	Then select English language	SKIPPED	0.000 s
24	Then click on collateral eye icon	SKIPPED	0.000 s
25	Then click on collateral add button	SKIPPED	0.000 s
26	Then Enter collateral English Description	SKIPPED	0.000 s
27	Then Enter collateral Description	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters











Product Definitions

Transactions

List of Asset/Collateral categories

Search

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
 	FD11		in00135	Active
 	FD3		in00135	Active
 	FD2		in00135	Active
 	1000022		in00135	Active
 	KJ		in00135	Active

Showing 1 to 5 of 56 entries

1 2 3 4 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Go Back

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

d'accord

Asset / Collateral Category Code \*

Module \*

Select

Registration Required

Repossession Allowed

Remarks \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

### List of Asset/Collateral categories

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active

#### Asset / Collateral categories

##### Asset / Collateral Category Detail

Description \*

d'accord

Asset / Collateral Category Code \*

Module \*

Select

Registration Required

Reposection Allowed

Remarks \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions


### List of Asset/Collateral categories

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active


Showing 1 to 5 of 56 entries

1 2 3 4 5

### (F) collateral Functionality



### (F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

### List of Asset/Collateral categories

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active

Showing 1 to 5 of 56 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

### Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

OK

Asset / Collateral Category Code \*

Module \*

Select

Remarks \*

Registration Required

Reposection Allowed



```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) collateral-

### (F) collateral Functionality

☰

AZENTIO<sup>®</sup>

ONEBanking

📧

📅


🔔

👤

Ger... ▾

LOS ▾

Aze... ▾




🔍 Search the menu

📺

Go Back

Asset / Collateral categories



🏠 Dashboard

⚙️ Configurations

📁 Asset Collateral Config

📁 Collateral

📁 Collateral sub type

📁 Collateral type

📁 Business Rules

📁 Corporate Masters

📁 Misc Config

📁 Other Masters

📁 Product Definitions

🔄 Transactions

Asset / Collateral Category Detail

Description \*

OK

+

Module \*

Select

▾

Remarks \*

Asset / Collateral Category Code \*

Registration Required

Repossession Allowed