

Cucumber Report

23-Nov-2022, 10:17:50 am

Start : Nov 23, 10:15:56.871 am

End : Nov 23, 10:17:41.324 am

Duration : 1 m 44.453 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 4


FAILED - 1

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functional flow for customer entity layout facility details</u>	1	0	1	0	1 m 44.453 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	To verify the functionality of Activate/Deactivate button	10	4	1	5	1 m 44.447 s



(F)- To verify the functional flow for customer entity layout facility details

FAILED	DURATION - 1 m 44.453 s	Scenarios		Steps	
/ 10:15:56.871 am // 10:17:41.324 am /		Total - 1		Total - 10	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	


(S)- To verify the functionality of Activate/Deactivate button

<div>FAILED</div> <div>DURATION - 1 m 44.447 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 10:15:56.877 am // 10:17:41.324 am /				
To verify the functional flow for customer entity layout facility details				
@AT_FD_006				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	21.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.636 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.636 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	3.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
			
4	And User click the facility info tab in customer entity layout facility details	PASSED	5.506 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.957 s
	screenshot		
			
5	Then User click the action edit icon in conventional facility details	FAILED	1 m 0.457 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//button[@ng-reflect-text='Edit']/child::span)[1]' (tried for 60 second(s) with 5000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails.</p> <p>user_click_the_action_edit_icon_in_conventional_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:52)</p> <p>at ?.User click the action edit icon in conventional facility details(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_FacilityDetails.feature:92)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//button[@ng-reflect-text='Edit']/child::span)[1]}" (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f86807643d9ba9fdfea831a0c04d2030, findElement {using=xpath, value=(//button[@ng-reflect-text='Edit']/child::span)[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49672}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49672/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f86807643d9ba9fdfea831a0c04d2030</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_click_the_action_edit_icon_in_conventional_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:52) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.192 s
6	And User update the excel data for Facility details Verify	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
7	And User verify the status button is active stage in conventional facility details	SKIPPED	0.001 s
8	And User click the status button in application details new app	SKIPPED	0.000 s
9	And User verify the status button is deactive stage in application details new app	SKIPPED	0.000 s
10	And User click the back button in customer entity layout facility details	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of
Activate/Deactivate button


(F) To verify the functional flow for
customer entity layout facility details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of
Activate/Deactivate button

(F) To verify the functional flow for
customer entity layout facility details



Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	2881	Aakash BT BT Application	Loan Application	Home Loan Workflow	in02040	NEWAPP	New Application	BREXEC	22-Nov-2022	
	2879	Aakash Top Up	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2878	Aakash BT	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	22-Nov-2022	
	2559	PREETAM	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	788	priya	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	21-Nov-2022	
	2490		Loan Application	Home Loan Workflow	in02040	LEGVRFY	Legal Verification	CPUEXEC	21-Nov-2022	
	2490		Loan Application	Home Loan Workflow	in02040	TECVRFY	Technical Verification	CPUEXEC	21-Nov-2022	
	2490		Loan Application	Home Loan Workflow	in02040	FCUVRFY	FCU Verification	CPUEXEC	21-Nov-2022	
	2779		Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	18-Nov-2022	
	1082	Aakash	Loan Application	Home Loan Workflow	in02040	TECVRFY	Technical Verification	CPUEXEC	18-Nov-2022	

Showing 1 to 10 of 245 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of
Activate/Deactivate button

(F) To verify the functional flow for
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking application interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main area shows an 'Inbox' table with columns: Action, Reference Id, Client Name, Event, Workflow, Employee Name, Stage Code, Stage Desc, Role Code, Created Date, and Approver Role. The table contains 10 entries, all with the event 'Loan Application' and workflow 'Home Loan Workflow'. The first entry has a reference ID of 2879 and a client name of 'Aakash Top Up'. The last entry has a reference ID of 1836 and a client name of 'ROSHAN'. At the bottom right of the table, it says 'Showing 1 to 10 of 105 entries' with pagination controls. A blue circular icon with a white gear symbol is located at the bottom right of the page.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of
Activate/Deactivate button

(F) To verify the functional flow for
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking application interface, specifically the 'Facility info' tab. The top navigation bar includes tabs for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility info' (which is active), 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Prop Next'. Below the tabs is a section titled 'Conventional Facility List' which contains a table with multiple rows and columns, though the data is mostly obscured by greyed-out placeholder boxes. A blue circular icon with a white gear symbol is located at the bottom right of the page.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of
Activate/Deactivate button

(F) To verify the functional flow for
customer entity layout facility details

