

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	1	0	0	33.448 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product	Product Master - to check the functionality of	8	8	0	0	33.444 s
	<u>master</u>	status(active/deactive) and back button					

DETAILED SECTION -- 4 --

(F)- Check the functionality of product master

PASSED	DURATION - 33.448 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:31:09.496 P	M // 10:31:42.944 PM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Product Master - to check the functionality of status(active/deactive) and back button


PASSED DURATION - 33.444 s	6 Steps	
/ 10:31:09.500 PM // 10:31:42.944 PM /	4	
Check the functionality of product master	2	8
@ProductMaster @M9	Skip - 0	
g. roddolindolor g.mo	1 2 3 4 5 6 7 8	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.759 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		
	AZENTIO' End-to-ford Banking Suite Institute in manufacture for more and perfect formers of the		
2	And User Login as maker	PASSED	4.866 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		


#	Step / Hook Details	Status	Duration
	AZENTIO O O O O O O O O O O O O O O O O O O		
3	Then user should navigate to product master	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
	AZENŢIO National Anadom N		
4	And click on edit view of product master	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.334 s
_		DAGGED	0.704
5	Then verify the functionality of status of the record	PASSED	2.761 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.140 s
6	Then verify user can able to change the status from active to deactive	PASSED	4.697 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify user can able to change the status from deactive to active	PASSED	4.510 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
8	Then verify the functionality of back button	PASSED	1.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		


EXPANDED SECTION -- 7 -



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

