Cucumber Report

| **Start : Aug 09, 12:23:26.546 PM**	**End : Aug 09, 12:23:56.577 PM**	**Duration : 30.031 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 18

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 61 %

| #	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	30.031 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	Verify the functionality of Activate/Deactivate button of Property Details screen	18	11	1	6	30.025 s

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 30.031 s	Scenarios		Steps	
/ 12:23:26.546 PM // 12:23:56.577 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 18 Pass - 11 Fail - 1 Skip - 6	18

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen

| FAILED	DURATION - 30.025 s		Steps	
/ 12:23:26.552 PM // 12:23:56.577 PM /			Total - 18 Pass - 11 Fail - 1 Skip - 6	18
Check the functionality of Property Details screen				
@AT_PD_006				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.847 s
	screenshot		
2	And User Login as maker	PASSED	8.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
3	Then select data set ID for property details testcase006	PASSED	0.575 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot 		
4	Then user should click on the menu toggle from maker stage	PASSED	0.648 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot 		
5	Then click on inbox to search for the Property Details record	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot 		
6	Then click on search button to search the record of Property Details in inbox	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot 		
7	Then enter the reference id of the Property Details record	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then click on the entitle button of the Property Details record of that reference id	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot 		
9	Then click on the Property Details tab	PASSED	2.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.647 s
	screenshot 		
10	Then open the active record of Property Details to modify	PASSED	0.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.715 s
	screenshot 		
11	Then click on status toggle button under property details to deactive	PASSED	1.021 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot 		

#	Step / Hook Details	Status	Duration
12	Then click on update button under property details	FAILED	1.209 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-rxh-c537="" pbutton="" type="button" icon="pi pi-save" iconpos="left" tooltipposition="top" class="p-element savecmnbtn p-button-info p-button-sm p-button-raised w-90 k-mx-2 p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-save" ng-reflect-icon-pos="left" ng-reflect-tooltip-position="top" ng-reflect-text="Update">...</button> is not clickable at point (1200, 62). Other element would receive the click: <ion-button _ngcontent-rxh-c541="" ptooltip="Pin Tab" tooltipposition="bottom" class="p-element ios button button-clear in-toolbar in-buttons button-has-icon-only ion-activatable ion-focusable hydrated" ng-reflect-text="Pin Tab" ng-reflect-tooltip-position="bottom">...</ion-button> (Session info: chrome=115.0.5790.171) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.66', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05458f69600952ae55352e617426d5bb, clickElement {id=6BE252DD937BF7DB1360568170CC5DC1_element_158}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57096}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57096/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (05458f69600952ae55352e617426d5bb)] -> xpath: //button[@ng-reflect-text='Update']] Session ID: 05458f69600952ae55352e617426d5bb
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.PropertyDetails.click_on_update_button_under_property_details(PropertyDetails.java:193)
	    at ?.click on update button under property details(file:///C:/Users/ININDC00091/git/Azentio_ULS/Devesh_ULS_03082023/Devesh_AzentioULSFramework_ExcelTest/src/test/java/features/PropertyDetails.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		

#	Step / Hook Details	Status	Duration
13	Then verify on clicking toggle button system should allow user to change the status of the record to Deactivate	SKIPPED	0.000 s
14	Then open the deactive record of Property Details to modify	SKIPPED	0.000 s
15	Then click on status toggle button under property details to deactive	SKIPPED	0.000 s
16	Then click on update button under property details	SKIPPED	0.000 s
17	Then verify on clicking toggle button system should allow user to change the status of the record to Activate	SKIPPED	0.000 s
18	Then verify the functionality of Back button on property details screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023   Engl...   LOS   Cen...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

Search the menu

Dashboard

Configurations ⌄

Transactions ⌄

Reports ⌄

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

☰ **AZENTIO** ONEBanking

31-Jan-2023 📅 ✉ ⊞ Engl... ▾ LOS ▾ Cen... ▾

🔍 Search the menu

⊞ Dashboard

⚙ Configurations ▾

⤬ Transactions ▾

◔ Reports ▾

← Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | Facility Info | D Next 🔖 ⋮

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

☰ **AZENTIO** ONEBanking

31-Jan-2023 📅 ✉ ⊞ Engl... ▾ LOS ▾ Cen... ▾

🔍 Search the menu

⊞ Dashboard

⚙ Configurations ▾

⤬ Transactions ▾

◔ Reports ▾

← Prev | nt Schedule | Policy Check | Fee Details | **Property Details** | Manual Bank | Credit Bureau Report | Le Next 🔖 ⋮

Property Details

➕   ✕ A   Export ▾

Action	Security Type ↑↓	Type Of Transaction ↑↓	Purchased From ↑↓	Construction Status ↑↓	Construction Cost ↑↓	Status ↑↓
✎ 👁	Y	98313853	54855	54863	0	A

↻   Showing 1 to 1 of 1 entries   ‹‹ ‹ **1** › ››   5 ▾

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

← Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | Facility Info | Next

Search the menu

Dashboard

Configurations ⌄

Transactions ⌄

Reports ⌄

Carpet Area

Property Management
Select

Construction Details

Year Of Construction

% Of Completion

Expected Completion Date

Agreement Date

Agreement Validity Date

Construction Cost
0.00

Status

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

← Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | Facility Info | Next

Search the menu

Dashboard

Configurations ⌄

Transactions ⌄

Reports ⌄

Security Type *
Primary Collateral

Property City *
Mumbai

Type Of Transaction *
Demand Draft

Purchased From *
Builder

Property Type *
Building

APF Status *
NO

Construction Status *
To be constructed

Property Category *
Residential

Nature Of Property *
Freehold

Occupancy Status *
Under construction

Name Of The Developer *
Lodha Group

Project
Select

Building Details
Select

Unit Details
Select