

# Cucumber Report

25-Aug-2022, 5:59:18 pm

Start : Aug 25, 5:58:51.251 pm

End : Aug 25, 5:59:17.560 pm

Duration : 26.309 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 11  
FAILED - 0  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	1	0	0	26.309 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expense Parameter record with invalid data	11	11	0	0	26.303 s





**(F)- Check the functionality of Living Expenses Master**





<b>PASSED</b>	<b>DURATION - 26.309 s</b>	Scenarios		Steps	
/ 5:58:51.251 pm // 5:59:17.560 pm /		Total - 1		Total - 11	
		Pass - 1		Pass - 11	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



**(S)- Creation of Living Expense Parameter record with invalid data**

<div>PASSED</div> <div>DURATION - 26.303 s</div>	<div></div>	Steps	<div></div>
<div>/ 5:58:51.257 pm // 5:59:17.560 pm /</div>		Total - 11	
<div>Check the functionality of Living Expenses Master</div>		Pass - 11	
<div>@AT_LE_016_Parameter_Invalid</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	11.712 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Other Masters Tab	PASSED	0.466 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot 		
4	And user Goto the Temp view screen of living Expense	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.464 s
	screenshot 		
5	And user click on First record in living Expense	PASSED	0.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.546 s
	screenshot 		
6	And user click on Living Expenses Parameter	PASSED	0.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.576 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And user click on Add Icon for Living Expenses	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.535 s
	screenshot		
			
8	And user Enter Invalid value in Description and verify it	PASSED	0.745 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
9	And Validate the Message and verify it	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
10	And user save the Record in Living Expenses	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user verify the Blank field in Living Expense	PASSED	0.055 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data


(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data


(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master, Facility Type, Living Expense, QuestionnaireMaster, Product Definitions, Product Setup, and Transactions. The main area shows the 'List of Living Expense Model' with a table containing 5 entries. Each entry has an 'Action' icon, a 'Description', a 'Rule ID', an 'Effective Date', and a 'Status' (all are 'Active').

Action	Description	Rule ID	Effective Date	Status
	Description Test	98303335	2022-08-25	Active
	test	98303335	2022-08-25	Active
	test	98303335	2022-08-24	Active
	ExpenseModify	98303254	2023-08-03	Active
	ExpenseModify	98303254	2023-08-03	Active

At the bottom of the table, it says 'Showing 1 to 5 of 15 entries' with pagination controls.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master, Facility Type, Living Expense, QuestionnaireMaster, Product Definitions, Product Setup, and Transactions. The main area shows the 'Living Expense Parameter List' with a table containing 5 entries. Each entry has a 'Living Expense Definition' tab, a 'Living Expense Parameter' tab, and a 'Living Expense Location' tab. The table is currently empty.

Living Expense Definition	Living Expense Parameter	Living Expense Location
---------------------------	--------------------------	-------------------------

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Code \* Value \*

Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Code \* Value \*

Select

\*&^%\$#

Alphanumeric characters allowed

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Code \* Value \*

\*&^%\$# Select

Alphanumeric characters allowed

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Code \* Value \*

\*&^%\$# Select

Alphanumeric characters allowed

Required field

Required field

Please fill all the details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

AZENTIO

ONEBanking

☰

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Living Expense Parameter

Living Expense Location

Living Expense Parameter

Living Expense Parameter

Description \*

\*&^%\$#

Alphanumeric characters allowed

Code \*

Select

Required field

Value \*

Required field

Please fill all the details