Cucumber Report

| Start : Oct 18, 4:25:05.624 pm	End : Oct 18, 4:26:04.849 pm	Duration : 59.225 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 2
1	1	13
0 %	0 %	76 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	0	1	0	59.225 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	List view of Allocation master - Approved records	13	10	1	2	59.219 s

(F)- Check the functionality of the Allocation Masater

FAILED	DURATION - 59.225 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 4:25:05.624 pm // 4:26:04.849 pm /		Pass - 0	1	Pass - 10	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- List view of Allocation master - Approved records

FAILED	DURATION - 59.219 s		Steps	
/ 4:25:05.630 pm // 4:26:04.849 pm /			Total - 13	
Check the functionality of the Allocation Masater			Pass - 10	13
@AT_ALM_014			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	19.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.320 s
	screenshot +		
2	Then user click on configurations Tab	PASSED	0.510 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot +		

| #	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.711 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
4	And user click on Allocation Master List view Icon	PASSED	0.604 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.669 s
	screenshot		
5	And User verify the Values in List view should be non editable in Allocation Master	PASSED	0.395 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
6	And user verify the Add button of Allocation Master	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.742 s
	screenshot		
7	And user click on back button in Master	PASSED	0.674 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user click on search box	PASSED	1.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.940 s
	screenshot		
9	And user Enter the Mismatch data in search text box	PASSED	6.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
10	And user click on search box	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
11	And user Enter the matching data in search text box	FAILED	0.038 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.MDM_Allocation_Master.user_enter_the_matching_data_in_search_text_box(MDM_Allocation_Master.java:95) at ?.user Enter the matching data in search text box(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Allocation_Mst.feature:170) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.251 s
12	And user click on Export button and Download the PDF file	SKIPPED	0.000 s
13	And user click on Export button and Download the Excel file	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) List view of Allocation master -
Approved records

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) List view of Allocation master -
Approved records

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) List view of Allocation master -
Approved records

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) List view of Allocation master -
Approved records

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) List view of Allocation master - Approved records

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) List view of Allocation master - Approved records

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) List view of Allocation master - Approved records

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) List view of Allocation master - Approved records

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) List view of Allocation master -
Approved records

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) List view of Allocation master -
Approved records

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) List view of Allocation master - Approved records

(F) Check the functionality of the Allocation Masater