

# Cucumber Report

Jul 25, 2022, 3:13:18 PM

Start : Jul 25, 3:12:59.237 PM

End : Jul 25, 3:13:17.875 PM

Duration : 18.638 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	18.638 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	6	1	6	18.635 s

**(F)- Product Master Retail Functionality**


<b>FAILED</b>	<b>DURATION - 18.638 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 13 Pass - 6 Fail - 1 Skip - 6	
/ 3:12:59.237 PM // 3:13:17.875 PM /					


**(S)- Product Master Retail Field validation**

<div>FAILED</div> <div>DURATION - 18.635 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 3:12:59.240 PM // 3:13:17.875 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.677 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then verify functionality and asterik mark of the field Product Code</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a1bee04a3d307ac976b349c133c140b, sendKeysToElement {id=5eaaa45a-668c-4e5f-b6c0-715a23433340, value=[Ljava.lang.CharSequence;@6818fd48]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59953}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59953/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4a1bee04a3d307ac976b349c133c140b)] -&gt; xpath: //ion-col[3]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: 4a1bee04a3d307ac976b349c133c140b     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)     at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)     at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source)     at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_code(ProductMaster_Retail.java:78)     at ?.verify functionality and asterik mark of the field Product Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:11)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.148 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	SKIPPED	0.000 s
9	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.001 s
10	Then verify functionality of the field DM Code	SKIPPED	0.000 s
11	Then verify the field Remarks	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled "Product wise Analysis" and features three charts: "Product-wise Amount Financed" (a bar chart showing values for AHIL (97.0M), AAL (23.0M), APL (26.0M), CD (5.0M), AFC (2.0M), CC (2.0M), and TL (6.0M)), "Subproduct-wise Amount Financed" (a placeholder for a chart), and "Scheme wise Amount Financed" (a placeholder for a chart). The top of the interface includes a header with a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023). A "Powered by Metabase" logo is visible at the bottom left of the main content area.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is mostly blank, with a "Powered by Metabase" logo visible at the bottom left. The top of the interface includes a header with a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023). A circular icon with a gear symbol is located in the bottom right corner of the main content area.

## (F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
  - Asset Auto Master
  - Asset CD Master
  - Product master**
  - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group \*

Lending

Product Description \*

Select

Deposits

DM Code

Lending

Trade

Remarks

Treasury

Product Code \*

Retail/Corporate \*


Select




## (F) Product Master Retail Functionality


(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality









Asset Collateral Config




Business Rules




Corporate Masters




Misc Config




Other Masters




Product Definitions




Product Setup




Asset Auto Master




Asset CD Master




Product master




Sub Product Master




Regulatory Product Defini...





Project Setup





Config Manager





English


LOS

Azentio Software






Puneet  
01-Sep-2023



Product Master



1

Product Master

Product Group \*

Lending

Product Code \*

Product Description \*

Retail/Corporate \*

Select

DM Code

Remarks