
Start: Jul 28, 1:48:31.149 AM End: Jul 28, 1:50:25.977 AM **Duration: 1 m 54.828 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 6 SKIPPED - 0 SKIPPED - 0 SKIPPED - 25 32 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 80 80 80 20 90 90 10 18 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Project Master Retail Functionality	1	0	1	0	1 m 54.828 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Project Master Retail Functionality	Project Master bulding Fields validation	32	6	1	25	1 m 54.823 s

DETAILED SECTION -- 4 --

## **(F)- Project Master Retail Functionality**

FAILED	DURATION - 1 m 54.828 s	Scenarios		Steps	
/	4//4 50 05 077 444/	Total - 1		Total - 32	
/ 1:48:31.149 AN	M // 1:50:25.977 AM /	Pass - 0	1	Pass - 6	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 25	

## **(S)- Project Master bulding Fields validation**



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.532 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
	AZENTIO   O NATI DE CASAME DE PARTICIO DE CASAME DE PARTICIO DE CASAME DE CA		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		

#	Step / Hook Details	Status	Duration
	AZENTIO    Separation   Separat		
3	Then click on Project Setup	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
	AZENTIO    Separation   Separat		
4	Then click on Project Master edit icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	SCREENSHOT	_	
5	Then open the project master record	PASSED	2.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.242 s
6	Then click on Project Master Building add button	PASSED	1.653 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
	TENTO  Propries and Action of the Control of the Co		
7	Then verify the field Unit Type	FAILED	1 m 24.228 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADPG16372', p: '10.1.47.119', os.name: 'Windows 10', os.acht: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: 'org.openqa.selenium.chrome.ChromePriver Command: [be26dc02049c9401498b4044b026bb, findElement (using=xpath, value=//ion-select[@aria-label=Select. Unit Type]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDratabir: C:\UsersININIDC-11AppDatalL), goog.chromeOptions: (debuggerAddress: localhosts64338), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, pitory: Proxy(), secdp: ws://localhost.64338/devo, secdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeoust: {implicit. 0, pageLoad: 300000, scrip: 30000), unhandledPromptEehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension.largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: be2cddc02049c94014989404014b02bb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.ceaceException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.op		


#	Step / Hook Details	Status	Duration
	at stepdefinitions.ProjectMaster.verify_the_field_unit_type(ProjectMaster.java:83) at ?.verify the field Unit Type(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ ProjectMaster.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.176 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be2cdtc02049e9401498bd40041b02bb, screenshot {} General States, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64338}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64338/devtoo, se:cdp\Version: 99.0.4844.82, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: be2cddc02049c9401498bd40041b02bb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.AttpCommandExecutor.invokeExecute(DriverCommandExecutor.java:149) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
		OLUBBER	0.000
8	Then verify the field Building Name	SKIPPED	0.000 s
9	Then verify the field Building Type	SKIPPED	0.000 s
10	Then verify the field Total Floors	SKIPPED	0.000 s
11	Then verify the field Total Flats	SKIPPED	0.000 s
12	Then verify the field Tentative Start Dates	SKIPPED	0.000 s
13	Then verify the field Tentative End Dates	SKIPPED	0.000 s
14	Then verify the field Disbursment Amount	SKIPPED	0.000 s
15	Then verify the field Exposed No of Flats	SKIPPED	0.000 s
16	Then verify the field Verified By	SKIPPED	0.000 s
17	Then verify the field Stage of Completion	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
18	Then verify the field Verified On	SKIPPED	0.000 s
19	Then verify the field CLP	SKIPPED	0.000 s
20	Then verify the field Flexi	SKIPPED	0.000 s
21	Then verify the field Installment Linked	SKIPPED	0.000 s
22	Then verify the field Down Payment Flag	SKIPPED	0.000 s
23	Then verify the field Subvention Flag	SKIPPED	0.000 s
24	Then verify the field CF Flag	SKIPPED	0.000 s
25	Then verify the field Negative Remarks	SKIPPED	0.000 s
26	Then verify the field Basic Sales Price	SKIPPED	0.000 s
27	Then verify the field Exposure Unit	SKIPPED	0.000 s
28	Then verify the field Overall Recommendations	SKIPPED	0.000 s
29	Then verify the field Construction Status	SKIPPED	0.000 s
30	Then verify the field RERA Registration	SKIPPED	0.000 s
31	Then verify the field RERA Registration Number	SKIPPED	0.000 s
32	Then verify the field Building Details Remark	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.260 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', so.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [be2cddc02049c9401498bd40041b02bb, close {}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (760488e8ba0d8, userDataDir: C:\Users\ININDC-1\AppDataL), goog:chromeOptions: {debuggerAddress: localhost:64338}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64338/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: be2cddc02049c9401498bd40041b02bb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(PitverCommandExecutor.java:184) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWeb		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

