Cucumber Report

Start : Jul 19, 1:45:24.051 PM	*End : Jul 19, 1:45:39.686 PM*	*Duration : 15.635 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 2 FAILED - 0 SKIPPED - 0

1 · 1 · 2

Pass % — 100 %

#	Feature Name	T	P	F	S	Duration
1	Login Functionality of kuls	1	1	0	0	15.635 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality of kuls	Login KULS with valid credentials	2	2	0	0	15.630 s

(F)- Login Functionality of kuls

PASSED	DURATION - 15.635 s		Scenarios	Steps	
			Total - 1	Total - 2	
/ 1:45:24.051 PM // 1:45:39.686 PM /			Pass - 1	Pass - 2	
			Fail - 0	Fail - 0	
			Skip - 0	Skip - 0	

(S)- Login KULS with valid credentials

PASSED	DURATION - 15.630 s		Steps	
			Total - 2	
/ 1:45:24.056 PM // 1:45:39.686 PM /			Pass - 2	
Login Functionality of kuls			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.980 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Login KULS with valid credentials

(F) Login Functionality of kuls

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Login KULS with valid credentials

(F) Login Functionality of kuls