


FEATURES SUMMARY -- 2 --



| # | Feature Name  | T | P | F | S | Duration     |
|---|---|---|---|---|---|--------------|
| 1 | To verify the functional flow for customer entity layout facility details | 1 | 0 | 1 | 0 | 1 m 46.922 s |




| # | Feature Name                            | Scenario Name   | T  | P | F | S  | Duration     |
|---|---|---|----|---|---|----|--------------|
| 1 | To verify the functional flow for       | To verify the functional flow for customer entity layout facility | 23 | 5 | 1 | 17 | 1 m 46.917 s |
|   | customer entity layout facility details | <u>details</u>  |    |   |   |    |              |

DETAILED SECTION

## (F)- To verify the functional flow for customer entity layout facility details

| FAILED          | DURATION - 1 m 46.922 s | Scenarios |   | Steps      |    |
|-----------------|-------------------------|-----------|---|------------|----|
|                 |                         | Total - 1 |   | Total - 23 |    |
| / 5:43:02.634 p | om // 5:44:49.556 pm /  | Pass - 0  | 1 | Pass - 5   | 23 |
|                 |                         | Fail - 1  |   | Fail - 1   |    |
|                 |                         | Skip - 0  |   | Skip - 17  |    |

## (S)- To verify the functional flow for customer entity layout facility details



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User Launch the KULS url for Transaction   | PASSED | 19.537 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.366 s  |
|   | screenshot   |        |          |
|   | © ASSENTIO   |        |          |
| 2 | And user click on Inbox Icon   | PASSED | 0.474 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.449 s  |
|   | screenshot   |        |          |
|   | A SERVICE IN THE RESIDENCE OF THE RESIDE |        |          |

| # | Step / Hook Details  | Status | Duration    |
|---|--|--------|-------------|
| 3 | And User click the action edit icon in customer entity layout facility details   | PASSED | 2.956 s     |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.409 s     |
|   | *** ASCITIO***  *******************************  |        |             |
| 4 | And User click the facility info tab in customer entity layout facility details  | PASSED | 5.360 s     |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.725 s     |
|   | CONTRACTOR STATE OF THE STATE O |        |             |
| 5 | And User click the add icon in customer entity layout facility details   | PASSED | 0.460 s     |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +  | PASSED | 0.933 s     |
|   |  |        |             |
| 6 | And User enter the primary product in customer entity layout facility details  | FAILED | 1 m 1.285 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[contains(text(),'Primary Product')]/following-sibling::ion-select' (tried for 60 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_enter_the_primary_product_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:123) at ?.User enter the primary product in customer entity layout facility details(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_FacilityDetails.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Primary Product')]/following-sibling::ion-select"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.   |        |             |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | selenium.chrome.ChromeDriver Command: [2c26694686f90f6ee97a688d6a4ad6f9, findElement {using=xpath, value=//ion-   |        |          |
|   | label[contains(text(),'Primary Product')]//following-sibling::ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome,   |        |          |
|   | browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir:   |        |          |
|   | C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64438}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: |        |          |
|   | ws://localhost:64438/devtoo, se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,  |        |          |
|   | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,   |        |          |
|   | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c26694686f90f6ee97a688d6a4ad6f9  |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)   |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   |        |          |
|   | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   |        |          |
|   | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  |        |          |
|   | at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails.   |        |          |
|   | user_enter_the_primary_product_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:123)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)   |        |          |
|   | at io.cucumber.java.lnvoker.invoke(lnvoker.java:24)   |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  |        |          |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)                           |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)             |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)                                  |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)   |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:64)   |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)                               |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:104)  |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)   |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)            |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)         |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)                       |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)          |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)                           |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)         |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)                 |        |          |
|   | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)                                       |        |          |
|   | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)                                   |        |          |
|   | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)                                     |        |          |
|   | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)                      |        |          |
|   | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)                                  |        |          |
|   | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)                        |        |          |
|   | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)                                      |        |          |
|   | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)   |        |          |
|   | at org.testng.TestRunner.privateRun(TestRunner.java:794)  |        |          |
|   | at org.testng.TestRunner.run(TestRunner.java:596)   |        |          |
|   | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)   |        |          |
|   | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)   |        |          |
|   | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)  |        |          |
|   | at org.testng.SuiteRunner.run(SuiteRunner.java:276)   |        |          |
|   | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)   |        |          |
|   | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)  |        |          |
|   | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)  |        |          |
|   | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)   |        |          |
|   | at org.testng.TestNG.runSuites(TestNG.java:1063)  |        |          |
|   | at org.testng.TestNG.run(TestNG.java:1031)  |        |          |
|   | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)                                |        |          |
|   | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)   |        |          |
|   | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)  |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                            | PASSED | 0.412 s  |

DETAILED SECTION -- 8 --

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | screenshot  |         |          |
|    | ASSETTO  Take the state of the |         |          |
| 7  | And User enter the primary sub product in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 8  | And User enter the scheme in customer entity layout facility details  | SKIPPED | 0.001 s  |
| 9  | And User enter the program code in customer entity layout facility details  | SKIPPED | 0.000 s  |
| 10 | And User enter the facility type in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 11 | And User enter the servicing branch in customer entity layout facility details  | SKIPPED | 0.001 s  |
| 12 | And User enter the pricing or interest indicator in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 13 | And User enter the declared asset value in customer entity layout facility details  | SKIPPED | 0.000 s  |
| 14 | And User enter the declared down payment amount in customer entity layout facility details  | SKIPPED | 0.001 s  |
| 15 | And User enter the requested amount in customer entity layout facility details  | SKIPPED | 0.000 s  |
| 16 | And User enter the currency in customer entity layout facility details  | SKIPPED | 0.000 s  |
| 17 | And User enter the expiry date in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 18 | And User enter the loan tenure month in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 19 | And User click the save icon in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 20 | And User get the save confirmation messege in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 21 | Then User click the action edit icon in conventional facility details   | SKIPPED | 0.000 s  |
| 22 | And User verify the primary product field should be non editable in customer entity layout facility details   | SKIPPED | 0.000 s  |
| 23 | And User verify the primary sub product field should be non editable in customer entity layout facility details   | SKIPPED | 0.000 s  |

EXPANDED SECTION -- 9 --





EXPANDED SECTION -- 11 --

