

Cucumber Report

07-Oct-2022, 6:25:47 pm

Start : Oct 07, 6:25:12.468 pm

End : Oct 07, 6:25:46.102 pm

Duration : 33.634 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	33.634 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>Creation of Warehouse Master record- Add Template</u>	19	7	1	11	33.628 s

(F)- check the functionality of the Warehouse Master


FAILED	DURATION - 33.634 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 19 Pass - 7 Fail - 1 Skip - 11	
/ 6:25:12.468 pm // 6:25:46.102 pm /					


(S)- Creation of Warehouse Master record- Add Template

FAILED	DURATION - 33.628 s		Steps Total - 19 Pass - 7 Fail - 1 Skip - 11	
/ 6:25:12.474 pm // 6:25:46.102 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T001_creation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	14.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	0.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.430 s
	screenshot		
			
5	And user click on Add icon for Warehouse master	PASSED	2.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.846 s
	screenshot		
			
6	And user Enter the value in description and verify it	PASSED	0.882 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
7	And user Enter the value in Address field and verify it	PASSED	0.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	<p>And user Enter the value in country field and verify it</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'INDIA')]/following-sibling::ion-radio"} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee9e0caa4cdb73b9a8473bc89c000c87, findElement {using=xpath, value=//ion-label[contains(text(),'INDIA')]/following-sibling::ion-radio}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58284}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58284/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ee9e0caa4cdb73b9a8473bc89c000c87</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.WareHouseMaster.user_enter_the_value_in_country_field_and_verify_it(WareHouseMaster.java:102) at ?user Enter the value in country field and verify it(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:11) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.939 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
9	And user Enter the value in state field and verify it	SKIPPED	0.001 s
10	And user Enter the value in Location field and verify it	SKIPPED	0.000 s
11	And user Enter the value in Zip code field and verify it	SKIPPED	0.000 s
12	And user Enter the value in Phone field and verify it	SKIPPED	0.000 s
13	And user Enter the value in Fax field and verify it	SKIPPED	0.000 s
14	And user Enter the value in Email field and verify it	SKIPPED	0.001 s
15	And user Enter the value in Contact person field and verify it	SKIPPED	0.001 s
16	And user save the warehouse master Record	SKIPPED	0.000 s
17	And user goto the Maker Inbox and store the Referance ID	SKIPPED	0.000 s
18	Then user Click on Action Icon	SKIPPED	0.000 s
19	And user verify the submit button and submit the Record from Maker stage	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

The screenshot shows the 'Warehouse Master' list view in the AZENTIO ONE Banking application. The left sidebar contains a navigation menu with options: Dashboard, Configurations (Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator), Transactions, and Reports. The main content area displays a table with columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, and Status. The table contains 5 entries, all with a status of 'Active'. At the bottom, it shows 'Showing 1 to 5 of 9 entries' and a pagination control with page 1 selected.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status
	Ware house	panchseel colony	1105415	1105474	909935	98303323	9027827789	78001923	g@g.com	soni	Active
	ASDFGH	ASDFG	1105415	1105474	909932	98303323	987546213	9876541	a@a	ime	Active
	Union new	Union new new	1105415	1105474	909931	98303323	589092344510	878977	D@b.com	ugcu@	Active
	Shweta	Raipur	1105415	1105474	909934	98303324	625325462	98784	as@g.com	wdy	Active
	union	NIT campus	1105415	1105474	909933	98303323	464547580	67958	av@gmail.com	FVUFDYUGCVGY	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

The screenshot shows the 'Warehouse Master' form view in the AZENTIO ONE Banking application. The left sidebar is the same as the previous screenshot. The main content area displays a form with fields for: Description (TMB_Description), Country (Country), Location (Select), Phone 1, E-Mail, Address (Address), State (Select), Zip Code (Zip code), Fax, and Contact Person. The form is titled 'Warehouse Master' and has a back arrow icon at the top left.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Principals indicator

Transactions

Reports

Warehouse Master

Description

TMB_Description

Country *

Country

Location *

Select

Phone 1

E-Mail

Address

TMB KULS

State *

Select

Zip Code *

Zip code

Fax

Contact Person

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Principals indicator

Transactions

Reports

Warehouse Master

Description

TMB_Description

Country *

Country

Location *

Select

Phone 1

E-Mail

Address

TMB KULS

State *

Select

Zip Code *

Zip code

Fax

Contact Person