Cucumber Report

Start : Aug 23, 2:23:11.382 PM	End : Aug 23, 2:23:31.628 PM	Duration : 20.246 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 14

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 78 %

#	Feature Name	T	P	F	S	Duration
1	IncentiveMaster Functionality	1	0	1	0	20.246 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*IncentiveMaster Functionality*	*To verify user is able to add new Incentive Master record in the system by entering valid data*	14	11	1	2	20.243 s

(F)- IncentiveMaster Functionality

FAILED	DURATION - 20.246 s	Scenarios		Steps	
/ 2:23:11.382 PM // 2:23:31.628 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 14 Pass - 11 Fail - 1 Skip - 2	14

(S)- To verify user is able to add new Incentive Master record in the system by entering valid data

FAILED	DURATION - 20.243 s		Steps	
/ 2:23:11.385 PM // 2:23:31.628 PM /			Total - 14 Pass - 11 Fail - 1 Skip - 2	14
IncentiveMaster Functionality				
@M2 @IncentiveMaster				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.382 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
	+		
2	And User Login as maker	PASSED	4.822 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Misc Config	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.139 s
4	Then click on Incentive Master eye icon	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.229 s
5	Then click on Incentive Master add button	PASSED	1.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.225 s
6	Then Enter Incentive code	PASSED	1.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.124 s

#	Step / Hook Details	Status	Duration
7	Then Enter Incentive Description	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
8	Then Enter Incentive Description2	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
9	Then Enter Incentive Description3	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		
10	Then Select Incentive Mode	PASSED	1.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Select Incentive Type	PASSED	1.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot 		
12	Then Enter Flat Amount	FAILED	0.097 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d989cda68b79cc700859ae4e296f854d, sendKeysToElement {id=981e9b93-5434-4208-b60e-698ceac858ec, value=[Ljava.lang. CharSequence;@54a056e4]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58282/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d989cda68b79cc700859ae4e296f854d)] -> xpath: //ion-col[8]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: d989cda68b79cc700859ae4e296f854d
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.sendKeys(Unknown Source) at stepdefinitions.IncentiveMaster.enter_flat_amount(IncentiveMaster.java:94) at ?.Enter Flat Amount(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/IncentiveMaster.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.103 s
13	Then Enter Incentive Percentage	SKIPPED	0.000 s
14	Then Select Incentive Computation on	SKIPPED	0.001 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Incentive Master record in the system by entering valid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Incentive Master record in the system by entering valid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Incentive Master record in the system by entering valid data

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description	Incentive Mode	Incentive Type	Status
✏ 👁	ok	57909	57887	Active
✏ 👁	TARGET TARGET	57907	57886	Active
✏ 👁	test123	57908	57887	Active
✏ 👁	Incentives 1	57909	57887	Active
✏ 👁	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries   « ‹ 1 2 › »   5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Incentive Master record in the system by entering valid data

(F) IncentiveMaster Functionality

Incentive Definition

Incentive Definition

Incentive Code *
02

Description *

Description 2

Description 3

Incentive Mode *
Select

Incentive Type *
Select

Flat Amount

Percentage

Incentive Computation On *
Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Incentive Master record in the system by
entering valid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Incentive Master record in the system by
entering valid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Incentive Master record in the system by entering valid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Incentive Master record in the system by entering valid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	