Cucumber Report

| *Start : Sep 14, 9:38:30.884 AM*	*End : Sep 14, 9:38:54.400 AM*	*Duration : 23.516 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 6

#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	23.516 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to Add Customer Debt record in the system	8	1	1	6	23.495 s

(F)- Title of your feature

FAILED	DURATION - 23.516 s	Scenarios		Steps	
/ 9:38:30.884 AM // 9:38:54.400 AM /		Total - 1		Total - 8	
		Pass - 0	1	Pass - 1	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- To verify user is able to Add Customer Debt record in the system

FAILED	DURATION - 23.495 s		Steps	
/ 9:38:30.905 AM // 9:38:54.400 AM /			Total - 8	
Title of your feature			Pass - 1	8
@tag @AT_CD_01			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	6.967 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.032 s
	screenshot		
2	And login with valid credentials	FAILED	7.241 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9fe1499974ce3fd02cdc79a8d5d594ea, isElementDisplayed {id=3B9EE527D7A6E533B4C4AAAB5A8517FB_element_13}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\ININDC~2\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63134}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63134/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium.remote.RemoteWebElement@9e3d734d -> unknown locator] Session ID: 9fe1499974ce3fd02cdc79a8d5d594ea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:280) at stepdefinitions.IjaraLogin.loginWithIjaraApplication(IjaraLogin.java:50) at stepdefinitions.IjaraTest.login_with_valid_credentials(IjaraTest.java:22) at ?.login with valid credentials(file:///C:/Users/ININDC00627/git/ULS_Ijarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.256 s
3	And User get the test data for test case AT_CD_01	SKIPPED	0.001 s
4	And User click the module name dropdown in ULS application	SKIPPED	0.002 s
5	And User select the module name as LOS in ULS application	SKIPPED	0.001 s
6	And User click the Mail box in ULS application	SKIPPED	0.001 s
7	And User click the Search button under inbox	SKIPPED	0.000 s
8	And User search the Ref id under inbox	SKIPPED	0.002 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to Add Customer
Debt record in the system

(F) Title of your feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to Add Customer
Debt record in the system

(F) Title of your feature