Cucumber Report

| Start : Nov 17, 3:58:14.064 pm	End : Nov 17, 3:59:35.952 pm	Duration : 1 m 21.888 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 1

1

1

12

Pass %

0 %

0 %

83 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	1 m 21.888 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses Location record with invalid data	12	10	1	1	1 m 21.878 s

## (F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 1 m 21.888 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 3:58:14.064 pm // 3:59:35.952 pm /		Pass - 0	1	Pass - 10	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Creation of Living Expenses Location record with invalid data

FAILED	DURATION - 1 m 21.878 s		Steps	
/ 3:58:14.074 pm // 3:59:35.952 pm /			Total - 12	
Check the functionality of Living Expenses Master			Pass - 10	12
@AT_LE_028_Validation			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	27.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.463 s
	screenshot		
2	Then user change Application Type as Los	PASSED	3.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot		
4	When user click Config Manager menu	PASSED	0.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.582 s
	screenshot		
5	And user Goto the Temp view screen of living Expense	PASSED	2.792 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.522 s
	screenshot		
6	And click on Pencil icon of existing record	PASSED	2.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.767 s
	screenshot		
7	And Navigate to Living expense location page	PASSED	0.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.994 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Click on Add icon of Living expense parameter	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.061 s
	screenshot		
9	And user save the Record in Living Expensess	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.608 s
	screenshot		
10	And user Pass the Exceldata value for Living Expense Loccation Invalid	PASSED	0.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
11	And user verify the Blank field in Living Expense	FAILED	0.016 s

	java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.testData" is null
	    at stepdefinitions.LivingExpense_Master.user_verify_the_blank_field_in_living_expense(LivingExpense_Master.java:776)
	    at ?.user verify the Blank field in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:762)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s

#	Step / Hook Details	Status	Duration
	screenshot		
12	And Enter the Invalid value in Area factor income of Living expense parameter	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master