Cucumber Report

17-Nov-2022, 5:43:31 pm

Start : Nov 17, 5:42:36.694 pm	End : Nov 17, 5:43:26.031 pm	Duration : 49.337 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	49.337 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses Location record with invalid data	12	11	1	0	49.331 s

(F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 49.337 s	Scenarios		Steps	
/ 5:42:36.694 pm // 5:43:26.031 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 12 Pass - 11 Fail - 1 Skip - 0	

(S)- Creation of Living Expenses Location record with invalid data

FAILED	DURATION - 49.331 s		Steps	
/ 5:42:36.700 pm // 5:43:26.031 pm /			Total - 12 Pass - 11 Fail - 1 Skip - 0	
Check the functionality of Living Expenses Master				
@AT_LE_028_Validation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	23.897 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.084 s
	screenshot		
	 +		
2	Then user change Application Type as Los	PASSED	2.852 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.767 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		
			
5	And user Goto the Temp view screen of living Expense	PASSED	0.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.913 s
	screenshot		
			
6	And click on Pencil icon of existing record	PASSED	0.806 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.674 s
	screenshot		
			
7	And Navigate to Living expense location page	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.935 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Click on Add icon of Living expense parameter	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.690 s
	screenshot		
			
9	And user save the Record in Living Expensess	PASSED	0.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
10	And user Pass the Exceldata value for Living Expense Loccation Invalid	PASSED	0.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
			
11	And user verify the Blank field in Living Expense	PASSED	0.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
12	And Enter the Invalid value in Area factor income of Living expense parameter java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.testData" is null at stepdefinitions.KULS_LivingExpense_Step. enter_the_invalid_value_in_area_factor_income_of_living_expense_parameter(KULS_LivingExpense_Step.java:290) at ?.Enter the Invalid value in Area factor income of Living expense parameter(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:763) * Not displayable characters are replaced by '?'.	FAILED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.708 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	
(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	