Duration: 1 m 48.889 s Start: Nov 17, 5:17:59.151 pm End: Nov 17, 5:19:48.040 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 11 40 50 60 40 50 60 40 50 60 30 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 81 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	1 m 48.889 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living Expenses record with invalid data	11	9	1	1	1 m 48.861 s
	Expenses Master						

DETAILED SECTION -- 4 --

## **(F)-** Check the functionality of Living Expenses Master

FAILED	DURATION - 1 m 48.889 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 5:17:59.151 pr	m // 5:19:48.040 pm /	Pass - 0	1	Pass - 9	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- Creation of Living Expenses record with invalid data



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	37.848 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.767 s
	screenshot		
	CONTROL IN THE RESIDENCE OF THE RESIDENC		
2	Then user change Application Type as Los	PASSED	2.920 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.795 s
	screenshot		
	CENTIO INDICATE TO THE PERSON OF THE PERSON		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 When user click Config Manager menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
When user click Config Manager menu  ATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addS	3	Then user click on configurations Tab	PASSED	0.490 s
When user click Config Manager menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefini		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.457 s
4 When user click Config Manager menu PASSED 0.260 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.570 s  5 And user click on List view toon of Living Expenses PASSED 0.790 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 1.745 s  Screenshot PASSED 0.628 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.628 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  And user click on List view Icon of Living Expenses AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  And user click on Add Icon for Living Expenses AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screen		**************************************		
screenshot  And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AATURE STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATURE STEP - ste	4	When user click Config Manager menu	PASSED	0.260 s
5 And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.628 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  To And user save the Record in Living Expensess  PASSED  O.262 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.570 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  3.455 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7. And user save the Record in Living Expensess  PASSED  0.262 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And user save the Record in Living Expensess  PASSED  1.745 s  PASSED  0.628 s  PASSED  0.628 s  PASSED  0.628 s  PASSED  0.262 s		SENTO  COMPANY  COMPA		
screenshot  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expensess  PASSED  O.628 s  PASSED  O.628 s  PASSED  O.262 s	5	And user click on List view Icon of Living Expenses	PASSED	0.790 s
And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expensess  PASSED  And user save the Record in Living Expensess  PASSED  0.628 s  PASSED  0.628 s  PASSED  0.262 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.745 s
And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expenses  PASSED  O.628 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.262 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expensess  PASSED  3.455 s  PASSED  O.262 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expensess  PASSED  3.455 s  PASSED  O.262 s	6	And user click on Add Icon for Living Expenses	PASSED	0.628 s
7 And user save the Record in Living Expensess PASSED 0.262 s			PASSED	3.455 s
7 And user save the Record in Living Expensess PASSED 0.262 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.110 s	7	And user save the Record in Living Expensess	PASSED	0.262 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.110 s
screenshot		screenshot		

8 And user Pass the Exceldata value for Invalid PASSED 0.09	
	7 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.746	-6 s
screenshot	
9 And user verify the Blank field in Living Expense 0.030	0 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.422	2 s
screenshot	
ALISTIC  TOTAL SET OF THE PROPERTY OF THE PROP	
10 And user Enter Invalid value in Description2 and verify it FAILED 0.500	0 s
java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.LivingExpense_Master.user_enter_invalid_value_in_description2_and_verify_it(LivingExpense_Master.java:855) at ?.user Enter Invalid value in Description2 and verify it(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/ test/java/features/MDM_LivingExp_Master.feature:134) * Not displayable characters are replaced by '?'.	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380	0 s
AFTER_STEF - Stepheninitions. Hooks class. add Screen short (io. cucumber. java. Scenario)	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ACCEPTO  THE COLUMN TO THE COL		
11	And Validate the Message and verify it	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

