Cucumber Report

| **Start : Jul 19, 1:08:12.016 PM**	**End : Jul 19, 1:08:28.749 PM**	**Duration : 16.733 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 2 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Login Functionality of kuls	1	1	0	0	16.733 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality of kuls	Login KULS with valid credentials	2	2	0	0	16.728 s

(F)- Login Functionality of kuls

PASSED	DURATION - 16.733 s	Scenarios		Steps	
/ 1:08:12.016 PM // 1:08:28.749 PM /		Total - 1		Total - 2	
		Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Login KULS with valid credentials

PASSED	DURATION - 16.728 s		Steps	
/ 1:08:12.021 PM // 1:08:28.749 PM /			Total - 2	
Login Functionality of kuls			Pass - 2	2
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
2	And User Login as maker	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Login KULS with valid credentials

(F) Login Functionality of kuls

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Login KULS with valid credentials

(F) Login Functionality of kuls