

Cucumber Report

Sep 22, 2022, 2:31:17 PM

Start : Sep 22, 2:30:59.897 PM

End : Sep 22, 2:31:16.528 PM

Duration : 16.631 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5


FAILED - 1

SKIPPED - 27







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	16.631 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	33	5	1	27	16.616 s





(F)- Check the functionality of Customer Address Details screen


FAILED	DURATION - 16.631 s	Scenarios		Steps	
/ 2:30:59.897 PM // 2:31:16.528 PM /		Total - 1		Total - 33	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 27	

(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

<div>FAILED</div> <div>DURATION - 16.616 s</div>		Steps	
/ 2:30:59.912 PM // 2:31:16.528 PM /		Total - 33	
Check the functionality of Customer Address Details screen		Pass - 5	
@AT_CAD_06		Fail - 1	
		Skip - 27	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		
			
2	And User Login as maker	PASSED	3.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.756 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Inbox Icon	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
			
4	And user click search icon	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
			
5	And user Enter Customer Address details Application ID	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
6	And user click on First record of Appdata Entry	FAILED	0.172 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [026bb102b7f10d9b3934aa9bda1ec548, clickElement {id=b0085dce-1ea6-45ba-8533-fc78655a7aab}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:53421}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:</p>		


#	Step / Hook Details	Status	Duration
	<p>ws://localhost:53421/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (026bb102b7f10d9b3934aa9bda1ec548)] -> xpath: //td[contains(text(),'APPDATAENT')]/parent::tr/td/button[1]] Session ID: 026bb102b7f10d9b3934aa9bda1ec548</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_click_on_first_record_of_appdata_entry(PersonalDetails_AppDataEntry.java:88) at ?.user click on First record of Appdata Entry(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:153) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.131 s
7	And user click on Additional customer Info Tab	SKIPPED	0.000 s
8	And user click on First Record Edit Icon	SKIPPED	0.001 s
9	And user click on Address Information Add Icon	SKIPPED	0.000 s
10	And user verify the Address Type field and Choose the value	SKIPPED	0.000 s
11	And user verify the Address status field and choose the value	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	And user verify the Residential status field and choose the value	SKIPPED	0.000 s
13	And user verify the Address Line 1 field and Enter the Vaue	SKIPPED	0.000 s
14	And user verify the Address Line 2 field and Enter the Vaue	SKIPPED	0.000 s
15	And user verify the country field and choose the value	SKIPPED	0.000 s
16	And user verify the District Name field and Enter the value	SKIPPED	0.000 s
17	And user verify the Zip code field and Enter the value	SKIPPED	0.000 s
18	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
19	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.000 s
20	And user verify the Duration of stay field and Enter the value	SKIPPED	0.000 s
21	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the Longtitude details of the address field and Enter the Value	SKIPPED	0.000 s
23	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
24	And user verify the Occupancy date field and choose the date	SKIPPED	0.001 s
25	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
26	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
27	And user verify the Rent amount field and Enter the Value	SKIPPED	0.001 s
28	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.001 s
29	And user Try to change the Address Type field	SKIPPED	0.001 s
30	And user Try to change the Address status field	SKIPPED	0.000 s
31	And user Try to change the Residential status field	SKIPPED	0.000 s
32	And user Try to change the Address Line 1 field	SKIPPED	0.000 s
33	And user Try to change the Address Line 2 field	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen







(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen








Engl...

LOS

Aze...

**Inbox**


Action



Showing 0 to 0 of 0 entries

<< < > >>


10







(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen

















Engl...

LOS

Aze...

**Inbox**

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	OFFERING	CREOFF	in02040	22-Sep-2022 14:22	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T



(F) Check the functionality of Customer Address Details screen

Inbox											
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	OFFERING	CREOFF	in02040	22-Sep-2022 14:22	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022	HLW	AHL		T	T

(F) Check the functionality of Customer Address Details screen

Engl...
LOS
Aze...

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries

<<
<
1
>
>>

