

# Cucumber Report

27-Oct-2022, 11:13:10 am

Start : Oct 27, 11:11:58.681 am

End : Oct 27, 11:13:05.703 am

Duration : 1 m 7.022 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>Verify the functionalities of Collateral subtype master Module</u>	1	0	1	0	1 m 7.022 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify the functionalities of Collateral subtype master Module	Validate the updation of collateral sub type record with all field validation	14	3	1	10	1 m 7.013 s


**(F)- Verify the functionalities of Collateral subtype master Module**

<b>FAILED</b>	<b>DURATION - 1 m 7.022 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 3 Fail - 1 Skip - 10	
/ 11:11:58.681 am // 11:13:05.703 am /					


**(S)- Validate the updation of collateral sub type record with all field validation**

<div>FAILED</div> <div>DURATION - 1 m 7.013 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
/ 11:11:58.690 am // 11:13:05.703 am /				
Verify the functionalities of Collateral subtype master Module				
@Collateral_SubType_M7				

#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to collateral subtype module view list	PASSED	14.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.564 s
	screenshot		
			
2	And Navigate to temp view of collateral sub type	PASSED	2.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Select the existing record in collateral sub type	PASSED	0.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.006 s
	screenshot		
			
4	And Clear the value in required fields and validate the field required popup	FAILED	33.935 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text(), 'Required field')]' (tried for 30 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_CollateralSubType_Step.</p> <p>clear_the_value_in_required_fields_and_validate_the_field_required_popup(KULS_CollateralSubType_Step.java:509)</p> <p>at ?.Clear the value in required fields and validate the field required popup(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CollateralSubTypeMasterFeature.feature:168)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(), 'Required field')]"}</p> <p>(Session info: chrome=106.0.5249.119) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDPO14547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f76e509e0215fae77032ad67fd3053, findElement {using=xpath, value=//ion-badge[contains(text(), 'Required field')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58697}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58697/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5f76e509e0215fae77032ad67fd3053</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CollateralSubType_Step. clear_the_value_in_required_fields_and_validate_the_field_required_popup(KULS_CollateralSubType_Step.java:509) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot		
			
5	And Click on back button of Collateral sub type	SKIPPED	0.003 s
6	And Select the existing record in collateral sub type	SKIPPED	0.000 s
7	Then Update the field value as special character and validate the error popup	SKIPPED	0.000 s
8	And Click on back button of Collateral sub type	SKIPPED	0.001 s
9	And Select the existing record in collateral sub type	SKIPPED	0.000 s
10	And Update the status of collateral sub type record	SKIPPED	0.001 s
11	Then Click on Save button in collateral subtype	SKIPPED	0.000 s
12	And Select the existing record in collateral sub type	SKIPPED	0.000 s
13	And Update the status of collateral sub type record	SKIPPED	0.000 s
14	Then Click on Save button in collateral subtype	SKIPPED	0.000 s

(F) Verify the functionalities of Collateral subtype master Module

[illegible]

(F) Verify the functionalities of Collateral subtype master Module

ONFBanking

Engl\_ ▾
LOS ▾
Aze... ▾

- Dashboard
- Configurations
  - Collateral
  - Warehouse Master
  - Collateral sub type**
  - LO Module Waiver
  - Collateral type
  - Fee master
  - Asset Auto Master
  - Charge master
  - Asset CD Master
  - Appropriation master
  - Due master
- Transactions
- Reports

### List of Asset/Collateral subtype

Action	Asset/Collateral type Subtype Code	Description	Status	Authorization Status
	MDM	MDM	Active	
	4029	UPD	Active	
	3031	Test mod	Active	
	1031	SSD	Active	MAKER
	3332323	test	Active	

Showing 1 to 5 of 17 entries    <<   <   **1**   2   3   4   >   >>   5 ▾



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Validate the updation of collateral sub  
type record with all field validation

(F) Verify the functionalities of Collateral  
subtype master Module

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

### List of Asset/Collateral subtype

Action	Asset/Collateral type Subtype Code	Description	Status	Authorization Status
	MDM	MDM	Active	
	4029	UPO	Active	
	3031	Test mod	Active	
	1031	SSD	Active	MAKER
	3332323	test	Active	

Showing 1 to 5 of 17 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Validate the updation of collateral sub  
type record with all field validation

(F) Verify the functionalities of Collateral  
subtype master Module

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

### List of Asset/Collateral subtype

Action	Asset/Collateral type Subtype Code	Description	Status	Authorization Status
	MDM	MDM	Active	
	4029	UPO	Active	
	3031	Test mod	Active	
	1031	SSD	Active	MAKER
	3332323	test	Active	

Showing 1 to 5 of 17 entries