

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of Customer address details	1	1	0	0	47.067 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of Customer	verify system allow user to do a modification on already	12	12	0	0	47.057 s
	address details	approved record					

DETAILED SECTION

(F)- check the functionality of Customer address details

PASSED	DURATION - 47.067 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 3:43:25.254 pm	// 3:44:12.321 pm /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify system allow user to do a modification on already approved record



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.091 s
	screenshot		
	### A 100 M		
2	And user click on Inbox Icon	PASSED	0.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
	### AZENTO ### ### ### ### ### ### #### #### ##		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScr	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.S		
screenshot 4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### ### ### ### ### ### ### ### ### #			0.160 s
4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.147 s 0.167 s	enshot	PASSED	0.227 s
4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot passed 0.147 s 0.167 s			
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot O.167 s			
screenshot Approx The state of the state o	user Enter Customer Address details Application ID	PASSED	0.147 s
** ASERTO *** ** ** ** ** ** ** ** ** ** ** ** *	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.5	PASSED	0.167 s
	enshot		
5 And user click on First record of Appdata Entry PASSED 5.149 s			
· · · · · · · · · · · · · · · · · · ·	user click on First record of Appdata Entry	PASSED	5.149 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.276 s	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.S	PASSED	0.276 s
screenshot	enshot		
*** **********************************			
6 And user click on Additional customer Info Tab 2.204 s	user click on Additional customer Info Tab	PASSED	2.204 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.850 s			
screenshot			
AMORTO PARTICIPATION OF THE PA	10		
7 And user click on First Record Edit Icon PASSED 0.279 s	user click on First Record Edit Icon	PASSED	0.279 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.029 s	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.S	PASSED	3.029 s
screenshot	enshot		

#	Step / Hook Details	Status	Duration
	AZENTO		
8	And user click on Address Information First Record Edit Icon	PASSED	3.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.600 s
	screenshot		
	A SECURITIO		
9	And user Modify the Address type field	PASSED	2.558 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.517 s
	screenshot		
	AZENTO		
10	And user Modify the Address Status field	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
	ASSETTION		
11	And user Modify the Residental status field	PASSED	0.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	### A P # A		
12	And user click the update the button	PASSED	5.433 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
	*** ADMINISTRATE*** *** ADMINISTRATE*** *** ADMINISTRATE*** *** ADMINISTRATE** **		


EXPANDED SECTION -- 8 --




EXPANDED SECTION




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

