

Cucumber Report

Jul 27, 2022, 5:55:08 PM

Start : Jul 27, 5:54:27.455 PM

End : Jul 27, 5:55:05.416 PM

Duration : 37.961 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 8
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	1	0	0	37.961 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - to check the functionality of status(active/deactive) and back button</u>	8	8	0	0	37.956 s





(F)- Check the functionality of product master




PASSED	DURATION - 37.961 s	Scenarios		Steps	
/ 5:54:27.455 PM // 5:55:05.416 PM /		Total - 1		Total - 8	
		Pass - 1		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Product Master - to check the functionality of status(active/deactive) and back button

<div>PASSED</div> <div>DURATION - 37.956 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:54:27.460 PM // 5:55:05.416 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@ProductMaster @M9</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.756 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.709 s
	screenshot		
			
2	And User Login as maker	PASSED	6.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.484 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.653 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		
			
5	Then verify the functionality of status of the record	PASSED	3.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
6	Then verify user can able to change the status from active to deactivate	PASSED	5.015 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify user can able to change the status from deactivate to active	PASSED	5.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
			
8	Then verify the functionality of back button of product master	PASSED	1.690 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. The left sidebar contains a menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays a table of products with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. A pagination bar at the bottom shows 'Showing 96 to 100 of 195 entries' and a page number of 20.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo32	dsadar35423#5	R	Active	
	98303275	depo31	Ok	R	Active	
	98303275	depo30	desc11	R	Active	
	98303249	122		C	Active	
	98303249	dd		R	Active	

The screenshot shows the Azentio Product Master interface, similar to the first one, but with a green 'Success' message banner at the top right. The table of products is the same, but the status of the third row (Product Code: depo30) is now 'In-active' (red text). The pagination bar at the bottom shows 'Showing 96 to 100 of 195 entries' and a page number of 20.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo32	dsadar35423#5	R	Active	
	98303275	depo31	Ok	R	Active	
	98303275	depo30	desc11	R	In-active	
	98303249	122		C	Active	
	98303249	dd		R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master

Product Master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo32	dsadar35423#5	R	Active	
	98303275	depo31	Ok	R	Active	
	98303275	depo30	desc11	R	Active	
	98303249	122		C	Active	
	98303249	dd		R	Active	

Showing 96 to 100 of 195 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master

Product Master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo32	dsadar35423#5	R	Active	
	98303275	depo31	Ok	R	Active	
	98303275	depo30	desc11	R	Active	
	98303249	122		C	Active	
	98303249	dd		R	Active	

Showing 96 to 100 of 195 entries