

# Cucumber Report

Aug 8, 2022, 1:56:05 AM

Start : Aug 08, 1:54:07.563 AM

End : Aug 08, 1:56:04.790 AM

Duration : 1 m 57.227 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	1 m 57.227 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral-While modification, user verify proper validation message for blank field</u>	10	9	1	0	1 m 57.224 s



**(F)- collateral Functionality**




<b>FAILED</b>	<b>DURATION - 1 m 57.227 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 9 Fail - 1 Skip - 0	
/ 1:54:07.563 AM // 1:56:04.790 AM /					

**(S)- collateral-While modification, user verify proper validation message for blank field**

<div>FAILED</div> <div>DURATION - 1 m 57.224 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:54:07.566 AM // 1:56:04.790 AM /				
collateral Functionality				
@M6				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.753 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
4	Then click on collateral Edit icon	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
5	Then open collateral wip record	PASSED	1.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
6	Then verify impact on modification with invalid data	PASSED	2.424 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify the functionality of Back button	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
8	Then click on collateral Edit icon	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
			
9	Then open collateral wip record	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
10	Then verify impact on modification with blank field	FAILED	1 m 26.456 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9534bdef66db2cf75933a8cc1fa8b144, findElement {using=xpath, value=//ion-badge[contains(text),'Required field']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L.		

#	Step / Hook Details	Status	Duration
	<p>..}, goog:chromeOptions: {debuggerAddress: localhost:62390}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62390/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9534bdef66db2cf75933a8cc1fa8b144</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy45.toString(Unknown Source)  at java.base/java.lang.String.valueOf(String.java:4215)  at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298)  at java.base/java.lang.String.valueOf(String.java:4215)  at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  at stepdefinitions.Collateral.verify_impact_on_modification_with_blank_field(Collateral.java:419)  at ?.verify impact on modification with blank field(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:86)  * Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9534bdef66db2cf75933a8cc1fa8b144, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62390}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62390/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts:</p>	FAILED	12.165 s

#	Step / Hook Details	Status	Duration
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9534bdef66db2cf75933a8cc1fa8b144   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)   at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</pre>		
	<p><b>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</b></p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9534bdef66db2cf75933a8cc1fa8b144, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\goog:chromeOptions: {debuggerAddress: localhost:62390}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62390/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9534bdef66db2cf75933a8cc1fa8b144   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)</pre>	FAILED	0.284 s




#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field

(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, Asset/Collateral Category Description, Created By, Status, and Authorization Status. The data rows are as follows:

Action	Asset/Collateral Category Code	Asset/Collateral Category Description	Created By	Status	Authorization Status
[Edit][Eye]	FD10	Fixed	in00135	Active	CHECKER
[Edit][Eye]	FD9	Fixed Deposit9	in00135	In-active	CHECKER
[Edit][Eye]	FD8	Fixed Deposit8	in00135	Active	CHECKER
[Edit][Eye]	FD7	Fixed Deposit7	in00135	Active	CHECKER
[Edit][Eye]	FD6	Fixed Deposit6	in00135	Active	CHECKER

Below the table, it says 'Showing 1 to 5 of 97 entries' with pagination controls. The top right of the interface shows user information: Engl..., LOS, Aze..., and a profile icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application in the 'Asset / Collateral categories' detail view. The left sidebar is the same as in the previous screenshot. The main area shows a form titled 'Asset / Collateral Category Detail'. The form fields are:

- Description \*: Fixed
- Asset / Collateral Category Code \*: [Empty field]
- Module \*: LM
- Status: [Toggle switch]
- Registration Required: [Toggle switch]
- Repossession Allowed: [Toggle switch]
- Remarks \*: OK

Below the 'Asset / Collateral Category Code' field, there is a blue banner that says 'Alphanumeric characters allowed'. The top right of the interface shows user information: Engl..., LOS, Aze..., and a profile icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

### List of Asset/Collateral categories

Action	Asset/Collateral Category Code	Asset/Collateral Category Description	Created By	Status	Authorization Status
	FD10	Fixed	in00135	Active	CHECKER

#### Asset / Collateral categories

##### Asset / Collateral Category Detail

Description \*

Fixed

Asset / Collateral Category Code \*

\*

Alphanumeric characters allowed

Registration Required

Repossession Allowed

Module \*

LM

Status

Remarks \*

OK

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

### List of Asset/Collateral categories

Blue circular button with gear icon at bottom right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-While modification, user  
verify proper validation message for blank  
field

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config











Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
 	FD10	Fixed	in00135	Active	CHECKER
 	FD9	Fixed Deposit9	in00135	In-active	CHECKER
 	FD8	Fixed Deposit8	in00135	Active	CHECKER
 	FD7	Fixed Deposit7	in00135	Active	CHECKER
 	FD6	Fixed Deposit6	in00135	Active	CHECKER

Showing 1 to 5 of 97 entries

<<

<

1

2

3

4

5

>

>>

5