

Cucumber Report

Jul 25, 2022, 11:28:44 PM

Start : Jul 25, 11:28:10.859 PM

End : Jul 25, 11:28:43.251 PM

Duration : 32.392 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 17


FAILED - 1

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	32.392 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Master Retail Functionality</u>	<u>System should not allow user to save the records with invalid data</u>	22	17	1	4	32.389 s




(F)- Product Master Retail Functionality


FAILED	DURATION - 32.392 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 17 Fail - 1 Skip - 4	
/ 11:28:10.859 PM // 11:28:43.251 PM /					

(S)- System should not allow user to save the records with invalid data





<div>FAILED</div> <div>DURATION - 32.389 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 17</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 11:28:10.862 PM // 11:28:43.251 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_invalid				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
9	Then verify the field Remarks	PASSED	2.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
10	Then click on save button	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then validate the impact of any mandatory field blank	PASSED	0.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
			
13	Then click on Product Master add button	PASSED	1.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
14	Then verify functionality and asterik mark of the field Product Group	PASSED	2.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then verify functionality and asterik mark of the field Product Code	PASSED	1.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
16	Then Enter Product Description	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
17	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		
			
18	Then verify functionality of the field DM Code	FAILED	0.192 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a2409062f86439ca3ad62de8f11f7b87, sendKeysToElement {id=d5a291e1-8ee1-4a81-8e78-7b0759398014, value=[Ljava.lang.CharSequence;@77cddc0c]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80</p>		

#	Step / Hook Details	Status	Duration
	<p>(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51678}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51678/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a2409062f86439ca3ad62de8f11f7b87)] -> xpath: //ion-row[1]/ion-col[6]/ion-item[1]/ion-input[1]/input] Session ID: a2409062f86439ca3ad62de8f11f7b87</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_of_the_field_dm_code(ProductMaster_Retail.java:159) at ?.verify functionality of the field DM Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:38) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.143 s
19	Then verify the field Remarks with special characters value	SKIPPED	0.001 s
20	Then click on save button	SKIPPED	0.000 s
21	Then validate the impact of special characters value in any field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Loading...

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

✖

+

📄

① Asset Collateral Config

① Business Rules

① Corporate Masters

① Misc Config

① Other Masters

① Product Definitions

① Product Setup

① Regulatory Product Defini...

① Project Setup

① Config Manager

☰

📧 English ▾ LOS ▾ Azentio Software ▾

🔧

🔔

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

✖

+

📄

① Asset Collateral Config

① Business Rules

① Corporate Masters

① Misc Config

① Other Masters

① Product Definitions

① Product Setup

🏠 Asset Auto Master

🏠 Asset CD Master

🏠 Product master

🏠 Sub Product Master

① Regulatory Product Defini...

① Project Setup

① Config Manager

☰

📧 English ▾ LOS ▾ Azentio Software ▾

🔧

🔔

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data. At the bottom, a pagination bar shows 'Showing 1 to 5 of 121 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is a 'Product Master' section with a back arrow and a save icon. The form contains several fields: Product Group (dropdown with 'Lending' selected), Product Code (text input), Product Description (dropdown with 'Deposits' selected), Retail/Corporate (dropdown with 'Select' selected), DM Code (dropdown with 'Lending' selected), and Remarks (text input). A 'Treasury' option is visible in the Remarks dropdown.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. The form has a header with a back arrow, the title 'Product Master', and a save icon. Below the header is a section for 'Product Master' with a blue underline. The form contains several fields: 'Product Group' (a dropdown menu set to 'Lending'), 'Product Code' (a text input field containing 'PR10'), 'Product Description' (a text input field with a plus icon), 'Retail/Corporate' (a dropdown menu set to 'Select'), 'DM Code' (a text input field), and 'Remarks' (a large text area). The form is styled with a light gray background and blue accents.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. The form has a header with a back arrow, the title 'Product Master', and a save icon. Below the header is a section for 'Product Master' with a blue underline. The form contains several fields: 'Product Group' (a dropdown menu set to 'Lending'), 'Product Code' (a text input field containing 'PR10'), 'Product Description' (a text input field with a plus icon), 'Retail/Corporate' (a dropdown menu with a list of options: 'Select', 'Corporate', and 'Retail' which is selected with a checkmark), 'DM Code' (a text input field), and 'Remarks' (a large text area). The form is styled with a light gray background and blue accents.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'PR10'), 'Product Description' (a text field with a plus icon), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text field), and 'Remarks' (a text area with 'HomeLoan'). A red error message 'Required field' is visible next to the 'Product Description' field. The bottom of the form has a grey button that says 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'PR10'), 'Product Description' (a text field with a plus icon), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text field), and 'Remarks' (a text area with 'HomeLoan'). A red error message 'Required field' is visible next to the 'Product Description' field. The bottom of the form has a grey button that says 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header with a back arrow, the title 'Product Master', and a save icon. Below the header are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR10'), 'Product Description' (text input with a required field error message), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Remarks' (text area with 'HomeLoan'). At the bottom of the form is a blue button with the text 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality



The screenshot shows the 'Product Master' form in the Azentio software. The form has a header with a back arrow, the title 'Product Master', and a save icon. Below the header are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR10'), 'Product Description' (text input with a required field error message), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Remarks' (text area with 'HomeLoan'). At the bottom of the form is a blue button with the text 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is the 'Product Master' title and a search bar. A table lists products with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data. At the bottom, there is a pagination bar showing 'Showing 1 to 5 of 121 entries' and a page selector with '1' highlighted. A dark blue banner at the bottom of the table area says 'Please fill all the details'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is the 'Product Master' title and a back button. The form contains several input fields: 'Product Group' (a dropdown menu currently showing 'Lending'), 'Product Code' (a text input field), 'Product Description' (a dropdown menu currently showing 'Select'), and 'Retail/Corporate' (a dropdown menu currently showing 'Select'). A 'Save' button is visible at the bottom right of the form. A dark blue banner at the bottom of the form area says 'Please fill all the details'.

The screenshot displays the Azenzio mobile application interface. At the top, the Azenzio logo is visible. Below the logo is a navigation bar with three icons: a person, a document, and a folder. The main screen shows a list of configuration options, each with a circular icon and a text label. The options are: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master, Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The 'Product master' option is highlighted with an orange background. To the right of each option is a small icon, possibly representing a document or a folder.

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Select ▾

AZENZIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Select ▾

- Sub Product Master
- Regulatory Product Definition
- Project Setup
- Config Manager

The screenshot displays the Azenzio mobile application interface. At the top, the Azenzio logo is visible, consisting of an orange stylized 'A' icon followed by the word 'AZENTIO' in white capital letters on a dark blue background. Below the logo is a white navigation bar with three icons: a red 'X' in a circle, a red plug icon, and a red document icon. The main content area has a dark blue background and lists several configuration options, each preceded by a red circular icon with a white 'X'. The options are: 'Asset Collateral Config', 'Business Rules', 'Corporate Masters', 'Misc Config', 'Other Masters', 'Product Definitions', and 'Product Setup'. Below these, there are three rows of items, each with a red circular icon containing a white house symbol, followed by the item name, a red document icon, and a red eye icon. The items are: 'Asset Auto Master', 'Asset CD Master', and 'Product master'. The 'Product master' row is highlighted with an orange background. Below this, there is another row with a red circular icon containing a white house symbol, followed by 'Sub Product Master', a red document icon, and a red eye icon. At the bottom, there are two more options: 'Regulatory Product Defini...' and 'Project Setup', each preceded by a red circular icon with a white 'X'. The bottom of the screen shows a portion of an Android navigation bar with a white home button icon.

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Retail ▾

Select

Corporate

Retail

English ▾

LOS ▾

Azentio Software ▾

Puneet
01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Retail ▾

English ▾

LOS ▾

Azentio Software ▾

Puneet
01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

+

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Retail ▾