

Cucumber Report

Jul 27, 2022, 6:30:36 PM

Start : Jul 27, 6:29:09.331 PM

End : Jul 27, 6:30:34.127 PM

Duration : 1 m 24.796 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	1 m 24.796 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master Retail Field validation</u>	13	7	1	5	1 m 24.790 s


(F)- Check the functionality of product master



FAILED	DURATION - 1 m 24.796 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 13 Pass - 7 Fail - 1 Skip - 5	
/ 6:29:09.331 PM // 6:30:34.127 PM /					

(S)- Product Master Retail Field validation


<div>FAILED</div> <div>DURATION - 1 m 24.790 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 6:29:09.337 PM // 6:30:34.127 PM /				
Check the functionality of product master				
@ProductMaster_Retail				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.856 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
			
2	And User Login as maker	PASSED	4.729 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.454 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.450 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot 		
8	Then verify functionality and asterik mark of the field Product Description org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-grid[1]/form[1]/ion-input[1]/input[1]' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:104) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_description(ProductMaster_Retail.java:875) at ?.verify_functionality_and_asterik_mark_of_the_field_Product_Description(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:161) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-grid[1]/form[1]/ion-input[1]/input[1]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7dc22d82316bc6187ab19578385c88b9, findElement {using=xpath, value=//ion-grid[1]/form[1]/ion-input[1]/input[1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:60813}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60813/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7dc22d82316bc6187ab19578385c88b9 at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	1 m 0.877 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:104) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_description(ProductMaster_Retail.java:875) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.260 s
9	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.001 s
10	Then verify functionality of the field DM Code	SKIPPED	0.000 s
11	Then verify the field Remarks	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table displays product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, a pagination bar shows 'Showing 1 to 5 of 139 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR22	Loan	R	Active
	98303249	PR22	Loan	R	Active
	98303249	PR22	Loan	R	Active
	98303275	dep006	desc11	R	Active
	98303249	PR19	Loan	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is a 'Product Master' section with a back arrow and a save icon. The form contains several fields: Product Group (dropdown menu showing 'Lending'), Product Code (text input), Product Description (dropdown menu showing 'Deposits'), Retail/Corporate (dropdown menu showing 'Select'), DM Code (dropdown menu showing 'Lending'), and Remarks (text area). A 'Select' button is visible next to the Product Description dropdown.

(F) Check the functionality of product master

AZENTIO™

✕

📑

📄

① Asset Collateral Config

② Business Rules

③ Corporate Masters

④ Misc Config

⑤ Other Masters

⑥ Product Definitions

⑦ Product Setup

🏠 Asset Auto Master

📄 🖨️

🏠 Asset CD Master

📄 🖨️

🏠 Product master

📄 🖨️

🏠 Sub Product Master

📄 🖨️

⑧ Regulatory Product Defini...

⑨ Project Setup

⑩ Config Manager

☑ English ▼ LOS ▼ Azentio Software ▼

⋮ ⋮ ⋮ ⋮ ⋮

🔔

Puneet
01-Sep-2023

←

Product Master

📄 1

Product Master

Product Group *

Lending▼

Product Code *PR26

Product Description *

🔒

Retail/Corporate *Select▼

DM Code

Remarks

(F) Check the functionality of product master

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Code *

PR26

Product Description *

Retail/Corporate *

Select

DM Code

Remarks