Cucumber Report

Start : Sep 30, 5:35:28.018 pm	*End : Sep 30, 5:36:22.958 pm*	*Duration : 54.940 s*
Features	Scenarios	Steps

|		
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	1	0	1	0	54.940 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	verify user is able to add new Template details record in the system by entering invalid data	10	7	1	2	54.934 s

(F)- Check the functionality of Asset Model Master

FAILED	DURATION - 54.940 s	Scenarios		Steps	
/ 5:35:28.018 pm // 5:36:22.958 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 10 Pass - 7 Fail - 1 Skip - 2	10

(S)- verify user is able to add new Template details record in the system by entering invalid data

FAILED	DURATION - 54.934 s		Steps	
/ 5:35:28.024 pm // 5:36:22.958 pm / Check the functionality of Asset Model Master @AT_AAM_T017			Total - 10 Pass - 7 Fail - 1 Skip - 2	10

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	20.659 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.448 s
2	Then user click on configurations Tab	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.534 s

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.981 s
	screenshot		
4	And user click on Asset Auto Master Edit icon	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.727 s
	screenshot		
5	And user click on Temp view First Record Edit Icon	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.647 s
	screenshot		
6	And user click on Asset Model Master Tab	PASSED	2.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.616 s
	screenshot		
7	And user click on Asset Model Master Add icon	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.729 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user Enter Characters value in Numeric Fields	FAILED	0.421 s

	java.lang.AssertionError: expected [ABC] but found [null]
	   at org.testng.Assert.fail(Assert.java:99)
	   at org.testng.Assert.failNotEquals(Assert.java:1037)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	   at org.testng.Assert.assertEquals(Assert.java:122)
	   at org.testng.Assert.assertEquals(Assert.java:629)
	   at org.testng.Assert.assertEquals(Assert.java:639)
	   at stepdefinitions.Asset_AutoMaster.user_enter_characters_value_in_numeric_fields(Asset_AutoMaster.java:74)
	   at ?.user Enter Characters value in Numeric Fields(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Asset_ModelMaster.feature:12)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.537 s
	screenshot 		
9	And user click on Asset Model Master Save button	SKIPPED	0.000 s
10	And user Validate the Message and verify it	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

Asset Auto Master

Action	Id	Asset Category	Asset Make	Asset Type	Remark
	226	327	13	55195	ok
	224	327	22	55195	ok
	223	225	15	55195	ok
	204	225	11	55106	
	203	225	11	55106	

Showing 1 to 5 of 12 entries   1 2 3

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

Asset Model Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master