Cucumber Report

| Start : Oct 14, 4:05:12.943 pm	End : Oct 14, 4:07:01.355 pm	Duration : 1 m 48.412 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 15 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	1	0	0	1 m 48.412 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	To Create the allocation master with valid details	15	15	0	0	1 m 48.314 s

(F)- Check the functionality of the Allocation Masater

PASSED	DURATION - 1 m 48.412 s	Scenarios		Steps	
/ 4:05:12.943 pm // 4:07:01.355 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 15 Pass - 15 Fail - 0 Skip - 0	15

(S)- To Create the allocation master with valid details

PASSED	DURATION - 1 m 48.314 s		Steps	
/ 4:05:13.041 pm // 4:07:01.355 pm /			Total - 15	
Check the functionality of the Allocation Masater			Pass - 15 Fail - 0	15
@Allocation_Master_M1			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	30.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.281 s
2	Then user click on configurations Tab	PASSED	0.556 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.512 s

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.428 s
4	And Click the eye icon of the alloction master	PASSED	1.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	4.086 s
5	Then Click the add button in the allocation master	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.379 s
6	And Validate the allocation master screen open with all fields	PASSED	3.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.212 s
7	Then Enter the description fields in the allocation master	PASSED	5.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.229 s

| #	Step / Hook Details	Status	Duration
8	And Enter the allocation code value in the allocation master	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot 		
9	Then Save the record in allocation master	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot 		
10	And Validate the sucess popup	PASSED	2.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot 		
11	Then Click the inbox in allocation master	PASSED	0.555 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.527 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And Search the record in allocation master	PASSED	1.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		
13	Then Get the reference id and store it in json in allocation master	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
14	And Click the action icon of respective allocation master	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.630 s
	screenshot		
15	Then Submit the record in allocation master	PASSED	9.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Create the allocation master with
valid details

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Create the allocation master with
valid details

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Create the allocation master with valid details

(F) Check the functionality of the Allocation Masater

AZENTIO
ONEBanking

Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01951.

Inbox

Action	Reference Id	Event Code	Event Desc	Workflow Desc	Employee Name	Stage Code	Role Code	Created Date	Product	Approver Role
	156	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 15:22		
	155	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 15:17		
	154	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 15:15		
	144	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 12:12		
	113	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 11:55		
	111	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 11:53		
	139	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 11:20		
	140	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	14-Oct-2022 11:11		
	115	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	13-Oct-2022 20:4		
	91	ALLOCATION_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	13-Oct-2022 11:33		

Showing 1 to 10 of 14 entries   « ‹ 1 2 › »   10

Menu items:
- Search the menu
- Dashboard
- Configurations
  - master
  - Due master
  - Product master
  - Pricing indicator master
  - Floating rate master
  - Employer master
  - Sub Product Master
  - SchemeMaster
  - BP Master
  - Bounce Master
  - Covenant Master
  - Allocation Master
- Transactions
- Reports