

Cucumber Report

Jul 25, 2022, 2:48:27 PM

Start : Jul 25, 2:48:11.009 PM

End : Jul 25, 2:48:26.584 PM

Duration : 15.575 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 6

FAILED - 1

SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	15.575 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	6	1	6	15.572 s


(F)- Product Master Retail Functionality


FAILED	DURATION - 15.575 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 13 Pass - 6 Fail - 1 Skip - 6	
/ 2:48:11.009 PM // 2:48:26.584 PM /					


(S)- Product Master Retail Field validation

<div>FAILED</div> <div>DURATION - 15.572 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 2:48:11.012 PM // 2:48:26.584 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	0.683 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then verify functionality and asterik mark of the field Product Code</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a24be2b38c79baa5cfc917134ed7dfad, sendKeysToElement {id=86aaab6b-b16d-4efa-9eeb-976e9c67bc4d, value=[Ljava.lang.CharSequence;@5e9bf744]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58913}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58913/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a24be2b38c79baa5cfc917134ed7dfad)] -> xpath: //ion-col[3]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: a24be2b38c79baa5cfc917134ed7dfad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_code(ProductMaster_Retail.java:75) at ?.verify functionality and asterik mark of the field Product Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:11) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.116 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	SKIPPED	0.001 s
9	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
10	Then verify functionality of the field DM Code	SKIPPED	0.000 s
11	Then verify the field Remarks	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍 Asset Collateral Config

🔍 Business Rules

🔍 Corporate Masters

🔍 Misc Config

🔍 Other Masters

🔍 Product Definitions

🔍 Product Setup

🔍 Regulatory Product Defini...

🔍 Project Setup

🔍 Config Manager


☰

📧 English ▾ LOS ▾ Azentio Software ▾

📱🔔👤 Puneet 01-Sep-2023


Product wise Analysis

Product-wise Amount Financed




Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed



Scheme wise Amount Financed



Powered by Metabase

⚙️

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍 Asset Collateral Config

🔍 Business Rules

🔍 Corporate Masters

🔍 Misc Config

🔍 Other Masters

🔍 Product Definitions

🔍 Product Setup

🏠 Product master

🏠 Sub Product Master

🔍 Regulatory Product Defini...

🔍 Project Setup

🔍 Config Manager

☰

📧 English ▾ LOS ▾ Azentio Software ▾

📱🔔👤 Puneet 01-Sep-2023

⚙️

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English

LOS

Azentio Software

Puneet
01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

Showing 1 to 5 of 115 entries

<<

<

1

2

3

4

5

>

>>

5

▼

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu

English

LOS

Azentio Software

Grid Icon

Notification Bell

Puneet
01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Description *

Select

Deposits

DM Code

Lending

Trade

Remarks

Treasury

Product Code *

Retail/Corporate *

Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

Product Master

Product Master

Product Group *
Lending

Product Description *

DM Code

Remarks

Product Code *

Retail/Corporate *
Select

English

LOS

Azentio Software

Puneet

01-Sep-2023