

Cucumber Report

Jul 20, 2022, 12:52:17 PM

Start : Jul 20, 12:51:53.524 PM

End : Jul 20, 12:52:16.388 PM

Duration : 22.864 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 19







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	22.864 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	22	2	1	19	22.858 s


(F)- Check the functionality of product master


FAILED	DURATION - 22.864 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 2 Fail - 1 Skip - 19	
/ 12:51:53.524 PM // 12:52:16.388 PM /					


(S)- Product Master - Modify records (approve, reject and return) at maker stage


<div>FAILED</div> <div>DURATION - 22.858 s</div>			<div>Steps</div> <div>Total - 22</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 19</div>	
/ 12:51:53.530 PM // 12:52:16.388 PM /				
Check the functionality of product master				
@M5				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.900 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.643 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	<p>Then user should navigate to product master</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>///h4[contains(text(),'Product Setup')]</code> because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string <code>///h4[contains(text(),'Product Setup')]</code> is not a valid XPath expression. (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0fb4f6ae745b0dd928037ebb939965c9, findElement {using=xpath, value=///h4[contains(text(),'Product Setup')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59934}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59934/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0fb4f6ae745b0dd928037ebb939965c9</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.user_should_navigate_to_product_master(ProductMaster_Retail.java:27) at ?.user should navigate to product master(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:6) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.065 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
4	And click on edit view of product master	SKIPPED	0.001 s
5	Then click on edit button of record to modify	SKIPPED	0.000 s
6	Then user should verify the buttons available on screen while modify	SKIPPED	0.000 s
7	Then verify system should modify before approved the record	SKIPPED	0.001 s
8	Then verify system should modify already approved record	SKIPPED	0.000 s
9	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
10	Then click on inbox and select the modified record	SKIPPED	0.000 s
11	Then click on submit button	SKIPPED	0.000 s
12	Then user verify that system should display confirmation message after submit	SKIPPED	0.001 s
13	And click on edit view of product master	SKIPPED	0.000 s
14	Then click on edit button of record to modify	SKIPPED	0.000 s
15	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
16	Then click on inbox and select the modified record	SKIPPED	0.003 s
17	Then click on submit button	SKIPPED	0.000 s
18	And click on edit view of product master	SKIPPED	0.001 s
19	Then click on edit button of record to modify	SKIPPED	0.000 s
20	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
21	Then click on inbox and select the modified record	SKIPPED	0.000 s
22	Then click on submit button	SKIPPED	0.001 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot displays the Azentio Software web application. On the left is a dark blue sidebar with the 'AZENTIO' logo at the top and a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The top header is light blue and contains a hamburger menu icon, an envelope icon, language and location dropdowns (English, LOS), the text 'Azentio Software', a grid icon, a bell icon, a user profile for 'Puneet' with the date '01-Sep-2023', and a small dark icon. The main content area is a large, empty light blue rectangle. A dark blue circular button with a white gear icon is positioned in the bottom right corner of the main area.</p>	
<p><u>(S) Product Master - Modify records (approve, reject and return) at maker stage</u></p>		
<p><u>(F) Check the functionality of product master</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>This screenshot is identical to the one above, showing the Azentio Software interface with the same sidebar, header, and main content area.</p>	
<p><u>(S) Product Master - Modify records (approve, reject and return) at maker stage</u></p>		
<p><u>(F) Check the functionality of product master</u></p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

Loading...

Powered by Metabase