


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	34.440 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product	Product Master - Modify records (approve, reject and return)	21	16	1	4	34.434 s
	master	at checker stage					

DETAILED SECTION -- 4 --

## **(F)-** Check the functionality of product master

FAILED	DURATION - 34.440 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 4:27:17.219 PN	M // 4:27:51.659 PM /	Pass - 0	1	Pass - 16	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

## (S)- Product Master - Modify records (approve, reject and return) at checker stage



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	8.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.213 s
	screenshot		
	AZENTIO* End-to-find Bashings Suite Likili was the man deside trades assembly for the more Carl for them. I when you man assembly the man assembly the more process of the more carl for them. I was not come assembly asse		
2	And User Login as checker	PASSED	6.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		

Then click on menu button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then click on inbox button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  4 Then click on inbox button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ### AFTER_STEP - stepdefinitions.HooksClass.ad				
4 Then click on inbox button PASSED 0.447 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  0.348 s	3	Then click on menu button	PASSED	0.096 s
4 Then click on inbox button PASSED 0.447 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Output  Description:  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.143 s
4 Then click on inbox button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.447 s  0.348 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.348 s		+		
SCREENShot	4	Then click on inbox button	PASSED	0.447 s
		screenshot	PASSED	0.348 s
5 Then select the modified record to approve PASSED 10.144 s	5	Then select the modified record to approve	PASSED	0.144 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.362 s	-	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
Company   Comp		I         bit         Mapping         dots         fine         fine <th< td=""><td></td><td></td></th<>		
6 Then select approve button PASSED 1.356 s	6	Then select approve button	PASSED	1.356 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.706 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.706 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	Product Master  To read to factor  To read to facto		
7	Then enter remark for approve	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	Control March Marc		
8	Then click on approve button	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.244 s
	Product basins  Include the second se		
9	Then system should display confirmation message after approved	PASSED	1.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
	Secondary   Seco		
10	Then click on inbox button	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot	]	


#	Step / Hook Details	Status	Duration
11	Then select the modified record to reject	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
12	Then select reject button	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
	Product Maries  Product Maries  In a second		
13	Then enter remark for reject	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
	The state of the s		
14	Then click on reject button	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The state of the s		
15	Then system should display confirmation message after reject	PASSED	1.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
	No.		
16	Then click on inbox button	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	Screenshot		
17	Then select the modified record to return	FAILED	0.027 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[contains(text(),'5594')]///td[1]/button"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [a22ffd931e12b6561573c5df52a99321, findElement {using=xpath, value=//span[contains(text(),'5594')]//td[1]/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ln\ln\ln\ln\ln\ln\ln\ln\ln\ln\ln\ln\ln\		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:30) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:331) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.select_the_modified_record_to_return(ProductMaster_Retail.java:305) at ?.select the modified record to return(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:57) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.459 s
18	Then click on return button	SKIPPED	0.000 s
19	Then enter remark for return	SKIPPED	0.001 s
20	Then click on return button	SKIPPED	0.000 s
21	Then system should display confirmation message after return	SKIPPED	0.001 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

