

Cucumber Report

Jul 26, 2022, 12:45:45 PM

Start : Jul 26, 12:45:00.057 PM

End : Jul 26, 12:45:44.169 PM

Duration : 44.112 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 21


FAILED - 1

SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	44.112 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Reject the record	31	21	1	9	44.109 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 44.112 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 31 Pass - 21 Fail - 1 Skip - 9	
/ 12:45:00.057 PM // 12:45:44.169 PM /					


(S)- verify Checker user is able to Reject the record

<div>FAILED</div> <div>DURATION - 44.109 s</div>		<div></div>	<div>Steps</div> <div>Total - 31</div> <div>Pass - 21</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 12:45:00.060 PM // 12:45:44.169 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_Reject</div>				




#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot 		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.645 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Enter Product Code for reject	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
			
12	Then validate Success pop up	PASSED	5.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
13	Then click on inbox	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
14	Then click on search icon of record list	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then search Project Master Retail record	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
			
16	And open record for Approve	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
17	Then submit the Record	PASSED	7.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
			
18	Then user logout from the application	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	And User Login as Checker	PASSED	6.812 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
20	Then click on Menu	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
21	Then click on inbox	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
22	Then Open the record to reject it	FAILED	1.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]/../td/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f046a62d74a6ab1c8d830656a1241d01, findElement {using=xpath,		

#	Step / Hook Details	Status	Duration
	<p>value=//span[contains(text(),'null')]/../td/button}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:61799}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61799/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f046a62d74a6ab1c8d830656a1241d01</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.open_the_record_to_reject_it(ProductMaster_Retail.java:501) at ?.Open the record to reject it(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:132) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.091 s
23	Then reject the record	SKIPPED	0.000 s
24	Then user logout from the application	SKIPPED	0.000 s
25	Given User launch the kuls application	SKIPPED	0.000 s
26	And User Login as maker	SKIPPED	0.000 s
27	Then click on Product Setup	SKIPPED	0.001 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
29	Then click on search icon	SKIPPED	0.000 s
30	Then search Rejected record	SKIPPED	0.000 s
31	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

AZENTIO

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

AZENTIO

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of 'Loan' products, all with 'Active' status. At the bottom, a pagination bar shows 'Showing 1 to 5 of 130 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR16	Loan	R	Active























(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) verify Checker user is able to Reject
the record


(F) Product Master Retail Functionality


The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is a 'Product Master' section with a back arrow and a red notification icon. The form contains several fields: 'Product Group' (a dropdown menu showing 'Lending'), 'Product Code' (a text input field), 'Product Description' (a dropdown menu showing 'Select'), 'Retail/Corporate' (a dropdown menu showing 'Select'), 'DM Code' (a dropdown menu showing 'Lending' with a checkmark), and 'Remarks' (a text area). A modal window is open over the 'Product Description' field, showing a list of options: Deposits, Lending (selected), Trade, and Treasury.


(F) Product Master Retail Functionality



























Asset Collateral Config



Business Rules



Corporate Masters



Misc Config



Other Masters



Product Definitions



Product Setup



Asset Auto Master



Asset CD Master


Product master


Sub Product Master


Regulatory Product Defini...


Project Setup


Config Manager

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

<

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

DM Code

Remarks

Product Code *

PR21|

Retail/Corporate *

Select ▾

(F) Product Master Retail Functionality

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

Product Code *

PR21

Retail/Corporate *

Select ▾

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has a header with a back arrow, the title 'Product Master', and a save icon. Below the header, there are fields for Product Group (Lending), Product Code (PR21), Product Description (Loan), and DM Code. A dropdown menu for Retail/Corporate is open, showing options: Select, Corporate, and Retail (which is selected with a checkmark). The Remarks field is empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record


(F) Product Master Retail Functionality

This screenshot is identical to the one above, but with the text 'HomeLoan' entered in the Remarks field. The dropdown menu for Retail/Corporate is still open, showing the same options: Select, Corporate, and Retail (selected).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR21'), 'Product Description' (text input with 'Loan'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Remarks' (text input with 'HomeLoan').






(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)






(S) verify Checker user is able to Reject
the record






(F) Product Master Retail Functionality



The screenshot shows the 'Product Master' table in the Azentio software. The table has a header bar with a search icon, the title 'Product Master', and an 'Export' button. Below the header, there is a table with 7 columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains 5 rows of data. At the bottom of the table, there is a pagination bar showing 'Showing 1 to 5 of 190 entries' and a dropdown menu for the number of entries per page (currently set to 5).

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	PR21	Loan	R	Active	
	98303249	PR21	Loan	R	Active	
	98303249	PR21	Loan	R	Active	CHECKER
	98303249	PR20	Loan	R	Active	MAKER
	98303249	PR19	Loan	R	Active	CHECKER

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <div></div> <ul style="list-style-type: none">Asset Collateral ConfigBusiness RulesCorporate MastersMisc ConfigOther MastersProduct DefinitionsProduct SetupAsset Auto MasterAsset CD MasterProduct masterSub Product MasterRegulatory Product Defini...Project SetupConfig Manager	
<p><u>(S) verify Checker user is able to Reject the record</u></p>		
<p><u>(F) Product Master Retail Functionality</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <div></div> <ul style="list-style-type: none">Asset Collateral ConfigBusiness RulesCorporate MastersMisc ConfigOther MastersProduct DefinitionsProduct SetupAsset Auto MasterAsset CD MasterProduct masterSub Product MasterRegulatory Product Defini...Project SetupConfig Manager	
<p><u>(S) verify Checker user is able to Reject the record</u></p>		
<p><u>(F) Product Master Retail Functionality</u></p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

Inbox

English LOS Azentio Software

PRODUCT_MST

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5849	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:44	TSW	
	5848	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 12:39	TSW	
	85	FEE_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:37	TSW	
	100	FEE_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:36	TSW	
	5847	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:26	TSW	
	5845	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 12:19	TSW	
	5843	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 12:10	TSW	
	5842	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 11:53	TSW	
	5841	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 11:44	TSW	
	37	PROJECT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 11:16	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

Inbox

English LOS Azentio Software

PRODUCT_MST

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5849	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:44	TSW	
	5848	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 12:39	TSW	
	85	FEE_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:37	TSW	
	100	FEE_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:36	TSW	
	5847	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:26	TSW	
	5845	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 12:19	TSW	
	5843	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 12:10	TSW	
	5842	SUB_PRD_MAST	MAKER	LOSMKR	in00135	26-Jul-2022 11:53	TSW	
	5841	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 11:44	TSW	
	37	PROJECT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 11:16	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area shows an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table lists several records with Reference Ids ranging from 5847 to 5717. A green confirmation message in the top right corner states: 'Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589. T.MST'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5847	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 12:26	TSW	
	5841	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 11:44	TSW	
	5815	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:40	TSW	
	5803	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:28	TSW	
	5801	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:47	TSW	
	5797	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:39	TSW	
	5770	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 16:24	TSW	
	5766	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 16:10	TSW	
	5750	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 13:37	TSW	
	5717	PRODUCT_MST	MAKER	LOSMKR	in00135	23-Jul-2022 15:8	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record


(F) Product Master Retail Functionality













(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality














Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5849	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 12:44	TSW	
	5844	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 12:17	TSW	
	5840	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 11:49	TSW	
	5835	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 10:22	TSW	
	5823	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 9:35	TSW	
	5818	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:44	TSW	
	5812	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:40	TSW	
	5806	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:38	TSW	
	5810	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:35	TSW	
	5808	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:35	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality



Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5849	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 12:44	TSW	
	5844	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 12:17	TSW	
	5840	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 11:49	TSW	
	5835	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 10:22	TSW	
	5823	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 9:35	TSW	
	5818	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:44	TSW	
	5812	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:40	TSW	
	5806	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:38	TSW	
	5810	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:35	TSW	
	5808	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:35	TSW	