

Cucumber Report

30-Sep-2022, 5:41:47 pm

Start : Sep 30, 5:41:15.890 pm

End : Sep 30, 5:41:45.869 pm

Duration : 29.979 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7


FAILED - 1

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Asset Model Master</u>	1	0	1	0	29.979 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	verify user is able to add new Template details record in the system by entering invalid data	10	7	1	2	29.971 s





(F)- Check the functionality of Asset Model Master



FAILED	DURATION - 29.979 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 7 Fail - 1 Skip - 2	
/ 5:41:15.890 pm // 5:41:45.869 pm /					

(S)- verify user is able to add new Template details record in the system by entering invalid data

<div>FAILED</div> <div>DURATION - 29.971 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 5:41:15.898 pm // 5:41:45.869 pm /</div>				
<div>Check the functionality of Asset Model Master</div>				
<div>@AT_AAM_T017</div>				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	12.835 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			
4	And user click on Asset Auto Master Edit icon	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.698 s
	screenshot		
			
5	And user click on Temp view First Record Edit Icon	PASSED	0.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.515 s
	screenshot		
			
6	And user click on Asset Model Master Tab	PASSED	2.430 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.624 s
	screenshot		
			
7	And user click on Asset Model Master Add icon	PASSED	2.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.828 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user Enter Characters value in Numeric Fields java.lang.NullPointerException: Cannot invoke "String.matches(String)" because "Year" is null at stepdefinitions.Asset_AutoMaster.user_enter_characters_value_in_numeric_fields(Asset_AutoMaster.java:75) at ?.user Enter Characters value in Numeric Fields(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Asset_ModelMaster.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.256 s
			
9	And user click on Asset Model Master Save button	SKIPPED	0.000 s
10	And user Validate the Message and verify it	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data


(F) Check the functionality of Asset Model
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data


(F) Check the functionality of Asset Model
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data


(F) Check the functionality of Asset Model
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

The screenshot displays the 'Asset Auto Master' interface in the AZENTIO ONE Banking system. The left sidebar contains a menu with options: Dashboard, Configurations (Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master), Transactions, and Reports. The main area shows a table with columns: Action, Id, Asset Category, Asset Make, Asset Type, and Remark. The table contains five rows of data. At the bottom, it indicates 'Showing 1 to 5 of 12 entries'.

Action	Id	Asset Category	Asset Make	Asset Type	Remark
	226	327	13	55195	ok
	224	327	22	55195	ok
	223	225	15	55195	ok
	204	225	11	55106	
	203	225	11	55106	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

The screenshot shows the 'Asset Auto Master' form in the AZENTIO ONE Banking system. The left sidebar is the same as in the previous screenshot. The main area displays the 'Asset Auto Master' form with fields for Asset Category (RCB), Asset Type (Air Conditioner), Brand (Aspire Dealers), and Remarks (ok). The form includes 'Submit' and 'Cancel' buttons. The top navigation bar shows 'Asset Auto Master' and 'Asset Model Master' tabs.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

AZENTIO

ONERanking

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

Asset Model Master

Asset Model Master

Asset Model *

Model Year *

Country

No Of Cylinder

Down Payment % *

Remarks

Asset Model Type

Asset Condition *

Drivetrain

Volume Of Engine

Residual Value % *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

AZENTIO

ONERanking

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

Asset Model Master

Asset Model Master

Asset Model *

Model Year *

Country

No Of Cylinder

Down Payment % *

Remarks

Asset Model Type

Asset Condition *

Drivetrain

Volume Of Engine

Residual Value % *