

Cucumber Report

Jul 25, 2022, 11:03:42 PM

Start : Jul 25, 11:03:22.474 PM

End : Jul 25, 11:03:41.340 PM

Duration : 18.866 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 6

FAILED - 1

SKIPPED - 6







| # | Feature Name | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|----------|
| 1 | Product Master Retail Functionality | 1 | 0 | 1 | 0 | 18.866 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|--|----|---|---|---|----------|
| 1 | Product Master Retail Functionality | Product Master Retail Field validation | 13 | 6 | 1 | 6 | 18.862 s |



(F)- Product Master Retail Functionality


| | | | | | |
|--|----------------------------|--|---|---|---|
| FAILED | DURATION - 18.866 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 13 Pass - 6 Fail - 1 Skip - 6 |  |
| / 11:03:22.474 PM // 11:03:41.340 PM / | | | | | |
| | | | | | |


(S)- Product Master Retail Field validation

| | | | | |
|--|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 18.862 s</div> | |  | <div>Steps</div> <div>Total - 13</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| / 11:03:22.478 PM // 11:03:41.340 PM / | | | | |
| Product Master Retail Functionality | | | | |
| @ProductMaster_Retail | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 10.584 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 0.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then click on Product Setup | PASSED | 0.190 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.168 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on Product Master eye icon | PASSED | 0.124 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.259 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on Product Master add button | PASSED | 1.636 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.220 s |
| | screenshot | | |
| |  | | |
| 6 | Then verify functionality and asterik mark of the field Product Group | PASSED | 2.339 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.134 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 7 | <p>Then verify functionality and asterik mark of the field Product Code</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dca38c36cc2a59fc206cb569c5c46214, sendKeysToElement {id=0832baed-3469-4c07-9cde-5d974d053fa6, value=[Ljava.lang.CharSequence;@7af1d072]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:50157}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50157/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (dca38c36cc2a59fc206cb569c5c46214)] -> xpath: //ion-col[3]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: dca38c36cc2a59fc206cb569c5c46214 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_code(ProductMaster_Retail.java:82) at ?.verify functionality and asterik mark of the field Product Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:11) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.144 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| | screenshot | | |
| |  | | |
| 8 | Then verify functionality and asterik mark of the field Product Description | SKIPPED | 0.000 s |
| 9 | Then verify functionality and asterik mark of the field RetailCorporate | SKIPPED | 0.000 s |
| 10 | Then verify functionality of the field DM Code | SKIPPED | 0.001 s |
| 11 | Then verify the field Remarks | SKIPPED | 0.000 s |
| 12 | Then verify the functionality of Back button | SKIPPED | 0.000 s |
| 13 | Then user logout from the application | SKIPPED | 0.000 s |

(F) Product Master Retail Functionality

English

LOS

Azentio Software

Puneet
01-Sep-2023

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(F) Product Master Retail Functionality

① Asset Collateral Config

① Business Rules

① Corporate Masters

① Misc Config

① Other Masters

① Product Definitions

① Product Setup

① Regulatory Product Defini...

① Project Setup

① Config Manager

① Sample Screens

English ▾

LOS ▾

Azentio Software ▾

Puneet
01-Sep-2023

Product wise Analysis


Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by [Metabase](#)

(F) Product Master Retail Functionality



(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays a table of product entries. The table has columns for Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. There are 5 entries shown, with a pagination bar at the bottom indicating 'Showing 1 to 5 of 118 entries'. The top right of the main area shows a search bar, an 'Export' button, and a user profile for Puneet dated 01-Sep-2023.

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status |
|--------|---------------|--------------|---------------------|------------------|-----------|
| | 98303275 | dep57 | dep57 | R | Active |
| | 98303275 | dep555 | dep555 | R | In-active |
| | 98303275 | dep55 | dep55 | R | Active |
| | 98303249 | PR07 | Loan | R | Active |
| | 98303249 | PR04 | Loan | R | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality




The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main area is a form for creating or editing a product. It includes fields for Product Group (a dropdown menu currently showing 'Lending'), Product Code (a text input), Product Description (a dropdown menu currently showing 'Deposits'), Retail/Corporate (a dropdown menu currently showing 'Select'), and Remarks (a text area). There is a 'DM Code' field with a dropdown menu currently showing 'Lending'. The top right of the main area shows a search bar, an 'Export' button, and a user profile for Puneet dated 01-Sep-2023.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality





Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

Product Master

Product Master

Product Group *
Lending

Product Description *

DM Code

Remarks

Product Code *

Retail/Corporate *
Select

English

LOS

Azentio Software

Puneet

01-Sep-2023