

Cucumber Report

Sep 14, 2022, 1:09:32 PM

Start : Sep 14, 1:09:05.802 PM

End : Sep 14, 1:09:31.527 PM

Duration : 25.725 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	Income Details Functionality	1	0	1	0	25.725 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Income Details Functionality	To check the functionality of Income Details	22	6	1	15	25.722 s





(F)- Income Details Functionality


FAILED	DURATION - 25.725 s	Scenarios		Steps	
/ 1:09:05.802 PM // 1:09:31.527 PM /		Total - 1		Total - 22	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- To check the functionality of Income Details


<div>FAILED</div> <div>DURATION - 25.722 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 15</div>	<div></div>
<div>/ 1:09:05.805 PM // 1:09:31.527 PM /</div>				
<div>Income Details Functionality</div>				
<div>@AT-ID-001</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.691 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
			
2	And User Login as maker	PASSED	5.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot 		
5	Then search Income Details record	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	1.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then click on Customer Financials Segment button</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//button[contains(text(),'Next')])[3]' (tried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.IncomeDetails.click_on_customer_financials_segment_button(IncomeDetails.java:46) at ?.click on Customer Financials Segment button(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/IncomeDetails.feature:12)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//button[contains(text(),'Next')])[3]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f880aa8d8adf3f0bcebeda11fb1d078, findElement {using=xpath, value=(//button[contains(text(),'Next')])[3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57573}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57573/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5f880aa8d8adf3f0bcebeda11fb1d078</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>	FAILED	10.267 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.IncomeDetails.click_on_customer_financials_segment_button(IncomeDetails.java:46) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		


#	Step / Hook Details	Status	Duration
	<pre>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
			
8	Then click on Customer Financials Record Edit button	SKIPPED	0.000 s
9	Then click on Incom Details Add button	SKIPPED	0.000 s
10	Then Validate fields and button under Income details sections	SKIPPED	0.000 s
11	Then Validate Auto populated Employment field	SKIPPED	0.000 s
12	And employment type is salaried then validate bank and branch fields	SKIPPED	0.000 s
13	Then Salary Credit to Bank Field should be drop down	SKIPPED	0.000 s
14	Then Salary Credit Bank Field type should be lockup	SKIPPED	0.000 s
15	Then Salary Credit Bank Field type should be lockup	SKIPPED	0.000 s
16	Then Validate Total Income field auto populated post entering the amount	SKIPPED	0.000 s
17	Then Validate Total Income Considered field auto populated post entering the amount	SKIPPED	0.001 s
18	Then Validate Total Deduction field auto populated post entering the amount	SKIPPED	0.000 s
19	Then Validate Total Deduction Considered field auto populated post entering the amount	SKIPPED	0.000 s
20	Then Validate Net Income Amount field type should be text box	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	Then Validate Net Deduction Amount field type should be text box	SKIPPED	0.000 s
22	Then Validate Currency Field should be drop down	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details


(F) Income Details Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking application. The top navigation bar includes the logo, a search bar, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Inbox' and shows 'Action' as the only entry. A message at the bottom indicates 'Showing 0 to 0 of 0 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking application with a list of 10 entries in the 'Inbox'. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The entries are as follows:

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	466	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 12:35	HLW	AHL
	465	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 12:23	HLW	AHL
	457	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 13:51	HLW	AHL
	435	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 11:32	HLW	AHL
	432	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 10:37	HLW	AHL
	431	APP_CREATE	DISBMKR	OPEMKR	in02040	13-Sep-2022 10:16	HLW	AHL
	429	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 9:58	HLW	AHL
	403	APP_CREATE	APPDATAENT	CPUEXEC	in02040	12-Sep-2022 20:8	HLW	AHL
	428	APP_CREATE	APPDATAENT	CPUEXEC	in02040	12-Sep-2022 20:4	HLW	AHL
	424	APP_CREATE	APPDATAENT	CPUEXEC	in02040	12-Sep-2022 13:53	HLW	AHL

The bottom of the page shows pagination: 'Showing 1 to 10 of 48 entries' and a page number '1' selected.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main area is titled 'Inbox' and contains a table with 10 entries. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The entries are numbered 1 to 10. A search bar at the top right of the table contains the text '457'. At the bottom of the table, it says 'Showing 1 to 10 of 48 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	466	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 12:35	HLW	AHL
	465	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 12:23	HLW	AHL
	457	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 13:51	HLW	AHL
	435	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 11:32	HLW	AHL
	432	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 10:37	HLW	AHL
	431	APP_CREATE	DISBMKR	OPEMKR	in02040	13-Sep-2022 10:16	HLW	AHL
	429	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 9:58	HLW	AHL
	403	APP_CREATE	APPDATAENT	CPUEXEC	in02040	12-Sep-2022 20:8	HLW	AHL
	428	APP_CREATE	APPDATAENT	CPUEXEC	in02040	12-Sep-2022 20:4	HLW	AHL
	424	APP_CREATE	APPDATAENT	CPUEXEC	in02040	12-Sep-2022 13:53	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

This screenshot shows the same AZENTIO ONEBanking application interface as the first one, but with the entry for Reference Id 457 selected. The table now only displays this single entry. The search bar still contains '457', and the pagination at the bottom indicates 'Showing 1 to 1 of 1 entries'. A blue circular button with a gear icon is visible in the bottom right corner of the application area.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	457	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 13:51	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

AZENTIO
ONEBanking

Search the menu

- Dashboard
- Configurations
 - Config Manager
 - Sample Screens
- Transactions
- Reports

Go Back

Application Details

Application Details

Primary Product *
Home Loan

Total Finance Amount Requested *
INR 3,00,000.00

Declared Current Obligations
INR 2,000.00

Sourcing Channel *
Sales Rep.

Servicing Type *
Financier

Servicing Branch *
East Zone

Primary Sub Product *
Home Loan-Ready to move / Under construction Property from Builder/Soci...

Declared Net Income *
INR 20,000.00

Special Promotion/Campaign
DDA Housing Scheme-2014

Business Center Code *
Business Center-Retail Banking

Servicing Entity *
Cent Bank Finance LTD.

Closing Staff Or Servicing Staff Or RM *
Pankaj Kumar

Referral/Sourcing Details

Approve Reject Return Eligibility Check Print