Cucumber Report

| Start : Jul 20, 5:03:18.350 PM	End : Jul 20, 5:03:52.411 PM	Duration : 34.061 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 5
1	1	15
0 %	0 %	60 %

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	34.061 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	15	9	1	5	34.058 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 34.061 s	Scenarios		Steps	
	/ 5:03:18.350 PM // 5:03:52.411 PM /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 15 Pass - 9 Fail - 1 Skip - 5	15

(S)- verify Checker user is able to Approve the record

FAILED	DURATION - 34.058 s		Steps	
/ 5:03:18.353 PM // 5:03:52.411 PM / Product Master Retail Functionality @ProductMaster_Retail_Approve			Total - 15 Pass - 9 Fail - 1 Skip - 5	15

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.538 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.081 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
5	Then click on Product Master add button	PASSED	3.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	10.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
8	Then Enter Product Description	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	5.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
10	Then verify the field Remarks	FAILED	0.183 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d8f08e5689750c2ab38b117b72122c9c, sendKeysToElement {id=4d046073-4d7e-4d5e-9ffd-c07cbade8b20, value=[Ljava.lang.CharSequence;@28e94c2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:		

#	Step / Hook Details	Status	Duration
	{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57287}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57287/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d8f08e5689750c2ab38b117b72122c9c)] -> xpath: //ion-textarea[1]//textarea[1]] Session ID: d8f08e5689750c2ab38b117b72122c9c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:145) at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:70) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot 		
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
14	And open the record	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

- ⊘ Asset Collateral Config
- ⊘ Business Rules
- ⊘ Corporate Masters
- ⊘ Misc Config
- ⊘ Other Masters
- ⊘ Product Definitions
- ⊘ Product Setup
- ⊘ Regulatory Product Defini...
- ⊘ Project Setup
- ⊘ Config Manager
- ⊘ Sample Screens

English ⌄   LOS ⌄   Azentio Software ⌄   **Puneet** 01-Sep-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

- ⊘ Asset Collateral Config
- ⊘ Business Rules
- ⊘ Corporate Masters
- ⊘ Misc Config
- ⊘ Other Masters
- ⊘ Product Definitions
- ⊘ Product Setup
- ⊘ Regulatory Product Defini...
- ⊘ Project Setup
- ⊘ Config Manager
- ⊘ Sample Screens

English ⌄   LOS ⌄   Azentio Software ⌄   **Puneet** 01-Sep-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

English LOS Azentio Software   Puneet
01-Sep-2023

← Product Master

Product Master

Product Group *
Lending

Product Code *
HLL

Product Description *
OK

Retail/Corporate *
Retail

Select
Corporate
Retail ✓

DM Code

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

English LOS Azentio Software   Puneet
01-Sep-2023

← Product Master

Product Master

Product Group *
Lending

Product Code *
HLL

Product Description *
OK

Retail/Corporate *
Retail

DM Code

Remarks