


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	33.727 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property	Verify the functionality of Activate/Deactivate button of	18	9	1	8	33.719 s
	Details screen	Property Details screen					

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 33.727 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:50:06.506 P	PM // 12:50:40.233 PM /	Pass - 0	1	Pass - 9	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.823 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.765 s
	screenshot		
	AZENTIO INT		
2	And User Login as maker	PASSED	8.584 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
	AZENTO PRANTO B E E W W W W W W T		
3	Then select data set ID for property details testcase006	PASSED	0.483 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
	ASIRTO Security Parkets (I) II To (Ma) (Ma) (Ma) (Ma) (Ma) (Ma) (Ma) (Ma)		
4	Then user should click on the menu toggle from maker stage	PASSED	0.597 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
	Substitute Company Co		
5	Then click on inbox to search for the Property Details record	PASSED	0.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		
	ARTHOUGH SE		
6	Then click on search button to search the record of Property Details in inbox	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
	## ATENION OF INTERPRETATION OF THE PROPERTY O		
7	Then enter the reference id of the Property Details record	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Part		
8	Then click on the entitle button of the Property Details record of that reference id	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
	AZENTO PANCO 2 2 5 WW WW W]	
	Comment of the control of the contro		
	•		
9	Then click on the Property Details tab	PASSED	1.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.560 s
	screenshot		
	RADIATIO RADIATIO RADIATION (SEE SEE SEE SEE SEE SEE SEE SEE SEE SE		
10	Then open the active record of Property Details to modify	FAILED	3.143 s
	java.lang.AssertionError: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='A ']///td[1]/span/button[1]"} (Session info: chrome=115.0.5790.171) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.66', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd7ad46fe4b2d8eb013f0850a1425f33, findElement {using=xpath, value=/lspan[text()='A ']///td[1]/span/button[1]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 114.0.5735.90} (386bc09e8f4f, userDataDir: C:\Users\ININDC-1\AppDataL\}, goog:chromeOptions: {debuggerAddress: localhost:57878}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57878/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd7ad46fe4b2d8eb013f0850a1425f33 at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.PropertyDetails.open_the_active_record_of_Property_Details_to_modify(PropertyDetails.java:144) at ?.open the active record of Property Details to modify(file:///C:/Users/ININDC00091/git/Azentio_ULS/Devesh_ULS_03082023/Devesh_AzentioULSFramework_ExcelTest/src/test/java/features/PropertyDetails.feature:14) *Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	screenshot		
	Section Sect		
11	Then click on status toggle button under property details to deactive	SKIPPED	0.001 s
12	Then click on update button under property details	SKIPPED	0.000 s
13	Then verify on clicking toggle button system should allow user to change the status of the record to Deactivate	SKIPPED	0.000 s
14	Then open the deactive record of Property Details to modify	SKIPPED	0.000 s
15	Then click on status toggle button under property details to deactive	SKIPPED	0.000 s
16	Then click on update button under property details	SKIPPED	0.000 s
17	Then verify on clicking toggle button system should allow user to change the status of the record to Activate	SKIPPED	0.000 s
18	Then verify the functionality of Back button on property details screen	SKIPPED	0.001 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 -



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

