


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the personal details disbursement checker list view fuctionality	1	0	1	0	3.120 s



:	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	To verify the personal details	To verify user is able to modify existing record of customer	5	0	0	5	3.110 s
		disbursement checker list view *	details under Disbursement Checker screen					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the personal details disbursement checker list view fuctionality

FAILED	DURATION - 3.120 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 5:20:20.488 p	om // 5:20:23.608 pm /	Pass - 0	1	Pass - 0	5
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 5	

(S)- To verify user is able to modify existing record of customer details under Disbursement Checker screen

FAILED DURATION - 3.110 s	0.15 Steps	
/ 5:20:20.498 pm // 5:20:23.608 pm /	0.1 - Total - 5	
To verify the personal details disbursement	05	5
checker list view fuctionality	Fail - 0 Skip - 5	
@AT-PDC-003	1 2 3 4 5	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	3.068 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:49175/devtools/browser/dea095d9-8ab5-4856-a25e-6c5e411340a4 Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.50', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.remote.http.netty.NettyWebSocket. <init>(NettyWebSocket.java:104)</init>		
	at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:137)		
	at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:127)		
	at org.openqa.selenium.devtools.Connection. <init>(Connection.java:73)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$1(ChromiumDriver.java:102)		
	at java.base/java.util.Optional.map(Optional.java:260)		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:100)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User login as uls maker in transaction	SKIPPED	0.001 s

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
2	And User click the inbox mail icon in personal details disbursement checker	SKIPPED	0.001 s
3	And User click the action edit icon in personal details disbursement checker	SKIPPED	0.001 s
4	And User click the customer details tab in personal details disbursement checker	SKIPPED	0.001 s
5	And User verify the System should not allow user to modify record of customer details under Disbursement Checker screen	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		