

Cucumber Report

Nov 30, 2022, 6:22:15 PM

Start : Nov 30, 6:20:11.636 PM

End : Nov 30, 6:22:13.537 PM

Duration : 2 m 1.901 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 1

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionalities of beneficiary details</u>	1	0	1	0	2 m 1.901 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionalities of beneficiary details</u>	<u>Validate that user can able to Update Beneficiary Details record with negative validation</u>	10	6	1	3	2 m 1.897 s





(F)- To verify the functionalities of beneficiary details

FAILED	DURATION - 2 m 1.901 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 6 Fail - 1 Skip - 3	
/ 6:20:11.636 PM // 6:22:13.537 PM /					

(S)- Validate that user can able to Update Beneficiary Details record with negative validation


<div>FAILED</div> <div>DURATION - 2 m 1.897 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:20:11.640 PM // 6:22:13.537 PM /				
To verify the functionalities of beneficiary details				
@BeneficiaryDetails_M5				

#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to Application details view list	PASSED	43.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
			
2	And Navigate to Mail box of Application details and search the DISBMKR value	PASSED	0.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Click on action icon of first record of application details_DISBMKR	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
			
4	And Navigate to Beneficiary Details section	PASSED	2.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.507 s
	screenshot		
			
5	And Click on Pencil Icon of existing Beneficiary details record	PASSED	4.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
			
6	And Remove values from required fields in Beneficiary Details	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
			
7	And Click on Save button and validate field is required popup in Beneficiary Details	FAILED	1 m 0.608 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[@ng-reflect-icon='pi pi-save']' (tried for 60 second(s) with 2000 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.BeneficiaryDetails.click_on_save_button_and_validate_field_is_required_popup_in_beneficiary_details(BeneficiaryDetails.java:488)</p> <p>at ?.Click on Save button and validate field is required popup in Beneficiary Details(file:///C:/Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/BeneficiaryDetails.feature:57)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@ng-reflect-icon='pi pi-save']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3b2aa585d4a30baf04fcd8b22cc7c5c, findElement {using=xpath, value=//button[@ng-reflect-icon='pi pi-save']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64686}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64686/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3b2aa585d4a30baf04fcd8b22cc7c5c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.BeneficiaryDetails.click_on_save_button_and_validate_field_is_required_popup_in_beneficiary_details(BeneficiaryDetails.java:488)</p>		


#	Step / Hook Details	Status	Duration
	<pre> java:488) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.188 s
8	And Click on Back button of Beneficiary details	SKIPPED	0.001 s
9	And Click on Pencil Icon of existing Beneficiary details record	SKIPPED	0.000 s
10	And Update with invalid data and validate error popup in Beneficiary details	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate that user can able to Update
Beneficiary Details record with negative
validation


(F) To verify the functionalities of
beneficiary details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate that user can able to Update
Beneficiary Details record with negative
validation

(F) To verify the functionalities of
beneficiary details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate that user can able to Update
Beneficiary Details record with negative
validation

(F) To verify the functionalities of
beneficiary details

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	1586	Aanchal Bizoara	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	29-Nov-2022	
	3429	MEENAL	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	29-Nov-2022	
	702	Shipra Kothari	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	2759	Rohit	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	2878	Aakash BT	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	22-Nov-2022	
	2659	Rohit	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	15-Nov-2022	
	1292	ROHIT	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	09-Nov-2022	
	1234	AKSHITA	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	09-Nov-2022	
	2165	Aakash BT	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	09-Nov-2022	
	1917	Harsh Sharma	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	04-Nov-2022	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate that user can able to Update
Beneficiary Details record with negative
validation

(F) To verify the functionalities of
beneficiary details

Beneficiary Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate that user can able to Update
Beneficiary Details record with negative
validation

(F) To verify the functionalities of
beneficiary details

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date '10-Jan-2024', language 'Engl...', and user 'Aze...'. The left sidebar contains a menu with options like Dashboard, Configurations, Transactions, Application manager, Customer details, and Reports. The main content area is titled 'Beneficiary Details' and contains a form with the following fields: Facility Application Id (Ready to move / Under construction Property from Builder/Society), Beneficiary Type (Self), Beneficiary Address, IBAN/Account No. (87656789999), Beneficiary MICR Code (44498126), Branch Name (SBI Bank Karnataka), Payment Type (On Completion), Beneficiary Email, Beneficiary Name (Aanchal), Beneficiary KYC, Account Type (Current Account), MICR Type (MICR), Bank Code (SBIN001), IFSC Code, Payment Mode (Cheque), and Remarks. A Status toggle is at the bottom left of the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate that user can able to Update
Beneficiary Details record with negative
validation

(F) To verify the functionalities of
beneficiary details

This is an identical screenshot to the one above, showing the AZENTIO ONEBanking 'Beneficiary Details' form with the same fields and values.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate that user can able to Update
Beneficiary Details record with negative
validation

(F) To verify the functionalities of
beneficiary details

AZENTIO

ONE BANKING

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Reports

10-Jan-2024

Engl...

LOS

Aze...

Prev

Application Details

Customer details

Beneficiary Details

Payment Schedule

Drawdown

Drawdown details

Document Details

Margin Money

Next

Beneficiary Details

+

Search

Export

Action	Beneficiary Type	Beneficiary Name	Bank Account Type	IBAN/Account No.	Beneficiary Bank Name	Branch Code	Bank Name	Beneficiary Bank
	SELF	Aanchal	CURRAC	87656789999		due date		TRANSFER_INITIATED

Showing 1 to 1 of 1 entries

<<<1>>>

5