Cucumber Report

Start : Sep 05, 3:06:01.008 pm	End : Sep 05, 3:06:30.093 pm	Duration : 29.085 s
Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 14
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 34

Features: 1

Scenarios: 1

Steps: 49

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 28 %

#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	29.085 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button on cuatomer details tab	49	14	1	34	29.078 s

(F)- Check The functionality of the Personal Details App data Entry

FAILED	DURATION - 29.085 s	Scenarios		Steps	
/ 3:06:01.008 pm // 3:06:30.093 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 49 Pass - 14 Fail - 1 Skip - 34	49

(S)- verify the availability of Add button on cuatomer details tab

| FAILED	DURATION - 29.078 s		Steps	
/ 3:06:01.015 pm // 3:06:30.093 pm /			Total - 49 Pass - 14 Fail - 1 Skip - 34	49
Check The functionality of the Personal Details App data Entry				
@AT_PDE_002				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.961 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot 		
2	Then user click on Transaction Module	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click on Application Details	PASSED	0.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.190 s
4	And user click on Inbox Icon	PASSED	0.469 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.329 s
5	And user click search icon	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.201 s
6	And user search Appdata Entry	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.132 s

#	Step / Hook Details	Status	Duration
7	And user click on First record of Appdata Entry	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.430 s
	screenshot		
8	And user click on Customer Details Tab	PASSED	1.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.679 s
	screenshot		
9	And user click the Add button annd verify it	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
10	And user Choose customer Type	PASSED	0.636 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And user Enter CIF ID	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot 		
12	And user Enter Application Number	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot 		
13	And user Enter Customer Name	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot 		
14	And user choose ID Type	PASSED	0.728 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	And user Enter ID Number	FAILED	1.174 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-4-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-4" placeholder="" spellcheck="false" type="number"> is not clickable at point (1113, 438). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20004; --width:537.016px;">...</ion-popover> (Session info: chrome=104.0.5112.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d215824dc9fd8460044416606355112c, clickElement {id=c924046c-6667-4041-b156-18a0e28d1a53}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64403}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64403/devtoo..., se:cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d215824dc9fd8460044416606355112c)] -> xpath: //ion-label[text()=' ID Number ']//following-sibling::ion-input//input] Session ID: d215824dc9fd8460044416606355112c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.PersonalDetails_AppDataEntry.user_enter_id_number(PersonalDetails_AppDataEntry.java:344)
	  at ?.user Enter ID Number(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/		

#	Step / Hook Details	Status	Duration
	PersonalDetails_AppDataEntry.feature:59) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.151 s
16	And user Enter Mobile Number	SKIPPED	0.000 s
17	And user Choose Date of Birth	SKIPPED	0.000 s
18	And user Enter Email ID	SKIPPED	0.000 s
19	And user Click the search button	SKIPPED	0.001 s
20	And user click the Create New Record button	SKIPPED	0.000 s
21	And user Enter the customer Type field	SKIPPED	0.000 s
22	And user Enter the Applicant Type field	SKIPPED	0.000 s
23	And user Enter the Salutation field	SKIPPED	0.000 s
24	And user Enter the First Name field	SKIPPED	0.000 s
25	And user Enter the Middle Name filed	SKIPPED	0.000 s
26	And user Enter the Last Name field	SKIPPED	0.001 s
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.000 s
29	And user Enter the Father Last Name Field	SKIPPED	0.000 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.000 s
32	And user Enter the spouse Last Name field	SKIPPED	0.000 s
33	And user Enter the No of children field	SKIPPED	0.001 s
34	And user Enter the spouse status field	SKIPPED	0.000 s
35	And user Enter the Date of birth field	SKIPPED	0.000 s
36	And user Enter the gender field	SKIPPED	0.000 s
37	And user Enter the Education Level field	SKIPPED	0.001 s
38	And user Enter the Marital status field	SKIPPED	0.000 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethinicity field	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
41	And user Enter the Religion field	SKIPPED	0.000 s
42	And user Enter the Residental status field	SKIPPED	0.000 s
43	And user Enter the Language field	SKIPPED	0.000 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.000 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.000 s
48	And user Enter the Rating field	SKIPPED	0.001 s
49	And user Enter the Remark fields	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cuatomer details tab

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cuatomer details tab

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

Inbox

| Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries   1 2 3 4 5   10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
ONEBanking

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries « ‹ 1 2 3 4 5 › » 10

Menu: Dashboard, Configurations, Transactions (Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, Facility Details, Customer employment, Income)

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
ONEBanking

Inbox — AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries « ‹ 1 2 3 4 5 › » 10

Menu: Dashboard, Configurations, Transactions (Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, Facility Details, Customer employment, Income)

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
ONEBanking

Inbox

X AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 18:18	HLW	AHL
	10681	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 16:28	HLW	AHL

Showing 1 to 10 of 90 entries « ‹ 1 2 3 4 5 › » 10

Search the menu
Dashboard
Configurations
Transactions
Customer details
Customer details islamic
Customer identification details
Customer address details
Application Details
Facility Details
Customer employment
Income

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
ONEBanking

Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | Facility Info | Document Details | Next

Customer Personal Information

Search the menu
Dashboard
Configurations
Transactions
Customer details
Customer details islamic
Customer identification details
Customer address details
Application Details
Facility Details
Customer employment
Income

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cuatomer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations   ⌄

Transactions   ⌃

Customer details   🕒

Customer details
islamic   🕒

Customer
identification details   🕒

Customer address
details   🕒

Application Details   🕒

Facility Details   🕒

Customer
employment   🕒

Income   🕒

← Prev | Application Info | **Customer details** | Additional Customer Info | Customer Financials | Facility Info | Document Details | Next 🔖 ⋮

Search Customer   Search   Clear

Customer Type *   CIF ID
Individual Customer   ⌄   165   ⇅

Application Number   Customer Name

ID Type *   ID Number
Select   ⌄

Mobile Number   Date Of Birth
                                                                            📅

Email ID

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cuatomer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations   ⌄

Transactions   ⌃

Customer details   🕒

Customer details
islamic   🕒

Customer
identification details   🕒

Customer address
details   🕒

Application Details   🕒

Facility Details   🕒

Customer
employment   🕒

Income   🕒

← Prev | Application Info | **Customer details** | Additional Customer Info | Customer Financials | Facility Info | Document Details | Next 🔖 ⋮

Search Customer   Search   Clear

Customer Type *   CIF ID
Individual Customer   ⌄   165

Application Number   Customer Name
561

ID Type *   ID Number
Select   ⌄

Mobile Number   Date Of Birth
                                                                            📅

Email ID

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the availability of Add button on cuatomer details tab

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
ONEBanking

Prev | Application Info | **Customer details** | Additional Customer Info | Customer Financials | Facility Info | Document Details | Next

Search Customer   Search   Clear

Customer Type *   CIF ID
Individual Customer   165

Application Number   Customer Name
561   Azentio

ID Type *   ID Number
Select

Select   Date Of Birth

Aadhar

Email ID

Dashboard
Configurations
Transactions
Customer details
Customer details islamic
Customer identification details
Customer address details
Application Details
Facility Details
Customer employment
Income