

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|-------------------------------|---|---|---|---|----------|
| 1 | IncentiveMaster Functionality | 1 | 1 | 0 | 0 | 20.105 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------|--|----|----|---|---|----------|
| 1 | IncentiveMaster Functionality | To verify user is able to add new Incentive Master record in | 14 | 14 | 0 | 0 | 20.102 s |
| | | the system by entering valid data | | | | | |

DETAILED SECTION

(F)- IncentiveMaster Functionality

| PASSED | DURATION - 20.105 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 14 | |
| / 2:28:50.591 PM | 1 // 2:29:10.696 PM / | Pass - 1 | 1 | Pass - 14 | 14 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- To verify user is able to add new Incentive Master record in the system by entering valid data

| PASSED DURATION - 20.102 s | 6 7 | | | | - | - | - | - | | | - | - | - | - | - | Steps | |
|--------------------------------------|---------|---|---|---|--------------|---|---|--------------|--------------|--------------|----|----------|--------------|--------------|----|------------|----|
| / 2:28:50.594 PM // 2:29:10.696 PM / | 4 - | | - | | | | | | | | | | | | | Total - 14 | |
| , 2.20.00.00 1 W/, 2.20.20.000 1 W/, | | | | | 1 | | | | | | 1 | | | | | Pass - 14 | 14 |
| IncentiveMaster Functionality | - | | | | - 7 - | | | | | - 7 - | | | | - 7 - | | Fail - 0 | |
| @M2 @IncentiveMaster | 0 - | | _ | | - | - | - | - | - | - | | <u> </u> | - | + | | Skip - 0 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.300 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.294 s |
| | screenshot | | |
| | AZENTIO PRINTED TOPES TOPES | | |
| 2 | And User Login as maker | PASSED | 4.857 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.115 s |
| | screenshot | | |


| 3 Then click on Misc Conflg AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on Incentive Master eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s 0.136 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s | # | Step / Hook Details | Status | Duration |
|---|---|---|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.128 s Then click on Incentive Master eye icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) FASSED O.136 s PASSED O.213 s Then click on Incentive Master add button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot FASSED O.216 s Then Enter Incentive code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.259 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.259 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.259 s PASSED O.130 s | | Grand State | | |
| screenshot 4 Then click on Incentive Master eye icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on Incentive Master add button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Incentive code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) | 3 | Then click on Misc Config | PASSED | 0.173 s |
| 4 Then click on Incentive Master eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Then click on Incentive Master add button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on Incentive Master add button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.128 s |
| 4 Then click on Incentive Master eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on Incentive Master add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on Incentive Master add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on Incentive Master add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.213 s 7 Then click on Incentive Master add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.213 s 0.216 s 0.216 s | | Grand State | | |
| Screenshot Then click on Incentive Master add button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Incentive code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s | 4 | Then click on Incentive Master eye icon | PASSED | 0.136 s |
| 5 Then click on Incentive Master add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Incentive code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s | | screenshot | PASSED | 0.213 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Incentive code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s PASSED 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.130 s | | G DOME B STATE OF THE STATE OF | | |
| Screenshot 6 Then Enter Incentive code AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.259 s 0.130 s | 5 | Then click on Incentive Master add button | PASSED | 1.157 s |
| 6 Then Enter Incentive code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s 0.130 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.216 s |
| 6 Then Enter Incentive code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s 0.130 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s | | | | |
| | 6 | Then Enter Incentive code | PASSED | 0.259 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.130 s |
| | | screenshot | 7 | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | TAINTO CE DE PERSONALITA CE DE | | |
| 7 | Then Enter Incentive Description | PASSED | 0.162 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.130 s |
| | ACRITO D 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| 8 | Then Enter Incentive Description2 | PASSED | 0.162 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.131 s |
| 9 | Then Enter Incentive Description3 | PASSED | 0.161 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.121 s |
| 10 | Then Select Incentive Mode | PASSED | 1.275 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| | screenshot | | |


| 11 Then Select Incentive Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 12 Then Enter Flat Amount AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 PASSED 0.122 s | # | Step / Hook Details | Status | Duration |
|---|----|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 12 Then Enter Flat Amount AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot | | DESCRIPTION OF SECURITY OF SEC | | |
| 2 Then Enter Flat Amount AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 3 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | 11 | • • | PASSED | 0.272 s |
| 12 Then Enter Flat Amount AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.230 s 0.161 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| 12 Then Enter Flat Amount AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot D. 230 s PASSED 0.161 s 0.162 s 0.097 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.161 s 0.162 s 0.162 s | | ARINTO OF B STATE | | |
| 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.097 s PASSED 0.122 s | 12 | Then Enter Flat Amount | PASSED | 0.230 s |
| 13 Then Enter Incentive Percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.097 s 0.122 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.161 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.122 s | | | | |
| screenshot | 13 | Then Enter Incentive Percentage | PASSED | 0.097 s |
| | | | PASSED | 0.122 s |
| | | | | |
| 14 Then Select Incentive Computation on PASSED 1.190 s | 14 | Then Select Incentive Computation on | PASSED | 1.190 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.122 s |
| | | screenshot | | |


DETAILED SECTION -- 8 --

| # | | | | | Step / Hook Details | Status | Duration |
|---|---|---|-------------------|---|---------------------|--------|----------|
| | = AZENTIO | | | : : 9 H Nov Nov Nov 10 - | | | |
| | O continuous - | Incentive Definition Incentive Definition Incentive Line Ince | Description* | B P | | | |
| | And titled today V | R | Investigal . | Investigation 2 (Investigation) | | | |
| | models - | Description 3 Insertined | | v Islands (pr 1 | | | |
| | veget mans © © File south mass © © logit mass © © 2 therefore © © 2 therefore v | MAAAGE 2000 | Processor. VII | Notice congulation 2 - Mark - | | | |




EXPANDED SECTION -- 10 --






EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

