
**Duration: 58.963 s** Start: Nov 29, 5:16:44.917 pm End: Nov 29, 5:17:43.880 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 15 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 53 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the property details tab	1	0	1	0	58.963 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	verify while modification, when user keep any mandatory	15	8	1	6	58.955 s
		field blank and click on save button					

DETAILED SECTION -- 4

## (F)- To test the property details tab

FAILED	DURATION - 58.963 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 5:16:44.917 pr	m // 5:17:43.880 pm /	Pass - 0	1	Pass - 8	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## (S)- verify while modification, when user keep any mandatory field blank and click on save button




#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	30.517 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		
	AZENTO  AND SO		
2	And user click on Inbox Icon	PASSED	0.768 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
	ASSETTO  Service of the first production of the first		

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot     Service   S		
4	And user search Appdata Entry	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.208 s
	AZENTO		
5	And user click on First record of Appdata Entry	PASSED	5.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.288 s
	*** A SENTO**  *********************************		
6	And user choose Property Details Tab	PASSED	2.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.799 s
	screenshot		
	ASSETTO  STATE OF THE PROPERTY		
7	And user click First Record Edit Icon	PASSED	1.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.994 s
	screenshot		


#	Step / Hook Details	Status	Duration
	AZENTO  SOCIETA DE LOS DELOS DE LOS DELOS DE LOS DE LOS DE LOS DE LOS DE LOS DE LOS DELOS DE LOS DE LOS DELOS DE LOS DELOS DE LOS DELOS DE LOS DELOS D		
8	And user update the Excelsheet Testdata for blank field	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.646 s
	screenshot		
	ASSETTED		
9	And user can able to select the data from the security dropdown	FAILED	0.812 s
	java.lang.AssertionError: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[text()=' Primary Collateral ]/parent::ion-item/ion-radio"} (Session info: chrome=107.0.5304.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ac424aebe4fa11d8ac2d5a9d850abec, findElement {using=xpath, value=//ion-label[text()=' Primary Collateral ]/parent::ion-radio]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54699}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54699/devtoo, se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ac424aebe4fa11d8ac2d5a9d850abec at org.testng.Assert.fail(Assert.java:99) at stepdefinitions.PropertyDetails_Steps.user_can_able_to_select_the_data_from_the_security_dropdown(PropertyDetails_Steps.java:222) at ?.user can able to select the data from the security dropdown(file:///C://Josers/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_Property_Details.feature:279) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
	*** APERTO**  *********************************		
10	And user can able to select the data from the property city field	SKIPPED	0.000 s
11	And user can able to select the data from the Property Type field	SKIPPED	0.000 s

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
12	And user can able to select the data from the APF Status field	SKIPPED	0.000 s
13	And user Blank fill the Mandatory field	SKIPPED	0.000 s
14	And save the property details record	SKIPPED	0.000 s
15	Then user verify the blank field and get the proper validation message	SKIPPED	0.000 s




**EXPANDED SECTION** 



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

