


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	44.177 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property	Verify the functionality of Activate/Deactivate button of	18	12	1	5	44.170 s
	Details screen	Property Details screen					

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 44.177 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:46:07.549 F	PM // 12:46:51.726 PM /	Pass - 0	1	Pass - 12	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.761 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.814 s
	screenshot		
	AZENTIO INT		
2	And User Login as maker	PASSED	7.958 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
	AZENTO Paratol 2 II W W W W W T		
3	Then select data set ID for property details testcase006	PASSED	0.499 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
	ASSETTO Final CO C C C C C C C C C C C C C C C C C C		
4	Then user should click on the menu toggle from maker stage	PASSED	0.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
	ASERTO FINANCIA DE SE		
5	Then click on inbox to search for the Property Details record	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
	Secretary Secret		
6	Then click on search button to search the record of Property Details in inbox	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
	*** ASENTO**** ***Read		
7	Then enter the reference id of the Property Details record	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Alberto Parameter Parame		
8	Then click on the entitle button of the Property Details record of that reference id	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	A SENTO Substitute Substitut		
9	Then click on the Property Details tab	PASSED	1.930 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.519 s
	screenshot		
	A SERVICE State Control of the Cont		
10	Then open the active record of Property Details to modify	PASSED	0.492 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.733 s
	screenshot		
	Section Sec		
	Common Co		
11	Then click on status toggle button under property details to deactive	PASSED	1.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
	A ASSETTION Section 2015 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		


# Step / Hook Details	Status	Duration
Then click on update button under property details	PASSED	1.298 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
screenshot	1	
Section State of the section of the		
X		
•		
Then verify on clicking toggle button system should allow user to change the status of the record to Deactivate	FAILED	10.522 s
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button(@ng-reflect-text='Go Back ' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:253) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at stepdefinitions.PropertyDetails. verify_on_clicking_toggle_button_system_should_allow_user_to_change_the_status_of_the_record_to_Deactivate(FropertyDetails.java:213) at ?verify on clicking toggle_button_system_should_allow_user_to_change_the_status_of_the_record_to_Deactivate(File:///C:/Users/ ININDC00091/jgitAzentio_Uts/Devesh_Uts_03082023/Devesh_AzentioUtsFramework_Excertestisrc/test/java/features/PropertyDetails. feature:17) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"/button(@ng-reflect-text='Go Back ") (Session info: chrome=115.0.5790.171) For documentation on this error, please visit: https://selenium.dev/exceptions//ino_such_element Build info: version: '0.0-rc-1', revision: '0.5511.cbda' System info: host: DESKTOP-PSK9T3U*, ip: '10.200.4.66', os.name: 'Windows 10', os.ach: 'amd64', os.version: '11.0. java.version: '17.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [ecd8084c0282/281d137394930744fe, findElement (sing=xpath, value=//button(@ng-reflect-text='Go Back']) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: (chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:Users/ININDC-11AppDatall), goog:chromeOptions: WINDOWS, platformName: WINDOWS, posy: Proxy(), secdp: ws://localhost:57761/devtoo, secdpVersion: 115.0.5790.171, option: webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:mrinipil.ceptii: true, webauthn:e	PAILLD	10.522 5

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)		
	at stepdefinitions.PropertyDetails.		
	verify_on_clicking_toggle_button_system_should_allow_user_to_change_the_status_of_the_record_to_Deactivate(PropertyDetails.java:213)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
\vdash	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
	ASSISTED SANCES D 2 E 100 100 100 100 100 100 100 100 100 1		
	X toward © town 5 Stong(triffens = 1 € 1 ≥ 1 ≥ 1 ≥ 1 ≥ 1 ≥ 1 ≥ 1 ≥ 1 ≥ 1 ≥		
14	Then open the deactive record of Property Details to modify	SKIPPED	0.000 s
15	Then click on status toggle button under property details to deactive	SKIPPED	0.000 s
16	Then click on update button under property details	SKIPPED	0.000 s
17	Then verify on clicking toggle button system should allow user to change the status of the record to Activate	SKIPPED	0.001 s
18	Then verify the functionality of Back button on property details screen	SKIPPED	0.001 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

