

# Cucumber Report

Aug 9, 2022, 3:05:10 AM

**Start : Aug 09, 3:03:37.247 AM**

**End : Aug 09, 3:05:09.225 AM**

**Duration : 1 m 31.978 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 12**


**FAILED - 1**

**SKIPPED - 51**







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	1 m 31.978 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>To verify System allow user to create new Asset collateral categorydetails record</u>	64	12	1	51	1 m 31.972 s





**(F)- collateral Functionality**





<b>FAILED</b>	<b>DURATION - 1 m 31.978 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 64 Pass - 12 Fail - 1 Skip - 51	
/ 3:03:37.247 AM // 3:05:09.225 AM /					




**(S)- To verify System allow user to create new Asset collateral categorydetails record**

<div>FAILED</div> <div>DURATION - 1 m 31.972 s</div>			<div>Steps</div> <div>Total - 64</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 51</div>	
/ 3:03:37.253 AM // 3:05:09.225 AM /				
collateral Functionality				
@collateral_Data @M1_M3				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
			
2	And User Login as maker	PASSED	4.908 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			
4	Then click on collateral eye icon	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
5	Then click on collateral add button	PASSED	2.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
			
6	Then verify Description field is multi languag	PASSED	6.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then Enter Asset collateral Category Code	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
8	Then Enter collateral Module	PASSED	1.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
			
9	Then click on collateral Registration Required Toggle	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
10	Then click on collateral Repossession Toggle	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Enter collateral Remarks	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot 		
12	Then click on collateral save button	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot 		
13	Then validate Success pop up  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//body/div/div/div/div[1])[1]' (tried for 20 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) at stepdefinitions.ProductMaster_Retail.validate_success_pop_up(ProductMaster_Retail.java:342) at ?.validate Success pop up(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzenzioULSFramework/src/test/java/features/Collateral.feature:40)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//body/div/div/div/div[1])[1]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d96a77af6eb78eb54e337620ed3ed3c4, findElement {using=xpath, value=(//body/div/div/div/div[1])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL...}, goog:chromeOptions: {debuggerAddress: localhost:55716}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:	FAILED	20.475 s

#	Step / Hook Details	Status	Duration
	ws://localhost:55716/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d96a77af6eb78eb54e337620ed3ed3c4 atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) atorg.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) atorg.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) atorg.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) atorg.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) atorg.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) atorg.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) atorg.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) atorg.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) atorg.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) athelper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) atstepdefinitions.ProductMaster_Retail.validate_success_pop_up(ProductMaster_Retail.java:342) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) atjava.base/java.lang.reflect.Method.invoke(Method.java:568) atio.cucumber.java.Invoker.doInvoke(Invoker.java:66) atio.cucumber.java.Invoker.invoke(Invoker.java:24) atio.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) atio.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) atio.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) atio.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) atio.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) atio.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) atio.cucumber.core.runner.TestStep.run(TestStep.java:64) atio.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
14	Then click on collateral Edit icon	SKIPPED	0.000 s
15	Then open collateral wip record	SKIPPED	0.000 s
16	Then click on collateral view summary	SKIPPED	0.001 s
17	Then Validate Txn status is in Pending state	SKIPPED	0.000 s
18	Then close the collateral view summary	SKIPPED	0.000 s
19	Then edit the record with module field	SKIPPED	0.000 s
20	Then click on collateral save button	SKIPPED	0.000 s
21	Then validate Success pop up	SKIPPED	0.000 s
22	Then click on inbox	SKIPPED	0.001 s
23	Then click on search icon of record list	SKIPPED	0.000 s
24	Then search collateral record	SKIPPED	0.000 s
25	And maker user open the record from inbox	SKIPPED	0.000 s
26	Then maker user submit the Record	SKIPPED	0.000 s
27	Then user logout from the application	SKIPPED	0.000 s
28	And User Login as Checker	SKIPPED	0.000 s
29	Then click on inbox	SKIPPED	0.000 s
30	Then click on search icon of record list	SKIPPED	0.002 s
31	Then search collateral record	SKIPPED	0.000 s
32	Then checker user open the record from inbox	SKIPPED	0.000 s
33	Then validate Txn status is completed	SKIPPED	0.000 s
34	Then close the collateral view summary	SKIPPED	0.000 s
35	Then checker user approve the record	SKIPPED	0.000 s
36	Then user logout from the application	SKIPPED	0.000 s
37	And User Login as maker	SKIPPED	0.000 s
38	Then click on Asset collateral config	SKIPPED	0.000 s
39	Then click on collateral eye icon	SKIPPED	0.000 s
40	Then search and validate the approved record	SKIPPED	0.000 s
41	Then Modify the approved record	SKIPPED	0.000 s
42	Then click on collateral save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
43	Then validate Success pop up	SKIPPED	0.001 s
44	Then click on inbox	SKIPPED	0.000 s
45	Then click on search icon of record list	SKIPPED	0.000 s
46	Then search collateral record	SKIPPED	0.000 s
47	And maker user open the record from inbox	SKIPPED	0.000 s
48	Then maker user submit the Record	SKIPPED	0.000 s
49	Then user logout from the application	SKIPPED	0.000 s
50	And User Login as Checker	SKIPPED	0.000 s
51	Then click on inbox	SKIPPED	0.000 s
52	Then click on search icon of record list	SKIPPED	0.000 s
53	Then search collateral record	SKIPPED	0.000 s
54	Then checker user open the record from inbox	SKIPPED	0.000 s
55	Then validate Txn status is completed	SKIPPED	0.001 s
56	Then close the collateral view summary	SKIPPED	0.000 s
57	Then checker user reject the record	SKIPPED	0.000 s
58	Then user logout from the application	SKIPPED	0.001 s
59	And User Login as maker	SKIPPED	0.000 s
60	Then click on Asset collateral config	SKIPPED	0.000 s
61	Then click on collateral eye icon	SKIPPED	0.000 s
62	Then search and validate the approved record	SKIPPED	0.001 s
63	Then validate after rejection no changes should occur	SKIPPED	0.000 s
64	Then user logout from the application	SKIPPED	0.000 s

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) To verify System allow user to create new Asset collateral categorydetails record


### (F) collateral Functionality



```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) To verify System allow user to create new Asset collateral categorydetails record

### (F) collateral Functionality





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, and Status. It lists five entries, all with status 'Active'. At the bottom, it says 'Showing 1 to 5 of 59 entries' with pagination controls.

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD16	FixedDepo	in00135	Active
	FD15	FixedDepo	in00135	Active
	FD14	FixedDepo	in00135	Active
	FD11	Fixed Deposite11	in00135	Active
	FD3	Fixed Deposite3	in00135	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

The screenshot shows the 'Asset / Collateral categories' form in the AZENTIO ONEBanking application. A modal window is open for editing the 'Description' field. The modal has a title bar 'Asset / Collateral Category Detail' and a close button. It contains input fields for 'Description(English)', 'Description(French)', 'Description(German)', 'Description(Arabic)', and 'Arabic'. The background form has fields for 'Description \*', 'Asset / Collateral Category Code \*', 'Module \*', 'Remarks \*', 'Registration Required', and 'Repossession Allowed'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

The screenshot shows the 'Asset / Collateral categories' form in the AZENTIO ONEBanking application. The left sidebar contains a menu with options: Dashboard, Configurations (expanded), Asset Collateral Config (expanded), Collateral (checked), Collateral sub type (checked), Collateral type (checked), Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main form area is titled 'Asset / Collateral categories' and 'Asset / Collateral Category Detail'. It includes a 'Description' field, an 'Asset / Collateral Category Code' field with the value 'FD17', a 'Module' dropdown menu set to 'Select', and a 'Remarks' text area. There are also toggle switches for 'Registration Required' and 'Repossession Allowed'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

This screenshot is similar to the one above, but with a dropdown menu open over the 'Module' field. The dropdown menu lists options: CRM, LOC, LC, CON, LM, and LO. The 'LO' option is currently selected. The rest of the form, including the 'Description', 'Asset / Collateral Category Code' (FD17), and toggle switches, remains the same.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

**AZENTIO**  
ONEBanking

Search the menu

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

Asset / Collateral Category Code \*

FD17

Module \*

LO

Remarks \*

Registration Required

Repossession Allowed

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

**AZENTIO**  
ONEBanking

Search the menu

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

Asset / Collateral Category Code \*

FD17

Module \*

LO

Remarks \*

Registration Required

Repossession Allowed

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

**AZENTIO**  
ONEBanking

Search the menu

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

Asset / Collateral Category Code \*

FD17

Module \*

LO

Remarks \*

OK

Registration Required

Repossession Allowed

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify System allow user to create  
new Asset collateral categorydetails  
record

(F) collateral Functionality

**AZENTIO**  
ONEBanking

Search the menu

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

Required field

Asset / Collateral Category Code \*

FD17

Module \*

LO

Remarks \*

OK

Registration Required

Repossession Allowed

Please fill all the details

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) To verify System allow user to create new Asset collateral categorydetails record

### (F) collateral Functionality

☰

**AZENTIO**  
ONEBanking

📧

📅

🔔

👤

Engl...

LOS

Aze...

🔍 Search the menu

📄

🏠 Dashboard

⚙️ Configurations

📁 Asset Collateral Config

📁 Collateral

📁 Collateral sub type

📁 Collateral type

📁 Business Rules

📁 Corporate Masters

📁 Misc Config

📁 Other Masters

📁 Product Definitions

🔗 Transactions

←

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

Required field

+

Module \*

LO

▼

Remarks \*

OK

Asset / Collateral Category Code \*

FD17

Registration Required

Repossession Allowed