

Cucumber Report

20-Sep-2022, 3:12:40 pm

Start : Sep 20, 3:11:46.870 pm

End : Sep 20, 3:12:38.081 pm

Duration : 51.211 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	51.211 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	12	10	1	1	51.204 s





(F)- check the functionality of Customer address details





FAILED	DURATION - 51.211 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 10 Fail - 1 Skip - 1	
/ 3:11:46.870 pm // 3:12:38.081 pm /					


(S)- verify system allow user to do a modification on already approved record

<div>FAILED</div> <div>DURATION - 51.204 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:11:46.877 pm // 3:12:38.081 pm /				
check the functionality of Customer address details				
@AT_CAD_07				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	16.977 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.961 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	5.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	2.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	5.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.558 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user click on Address Information First Record Edit Icon	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.701 s
	screenshot		
			
9	And user Modify the Address type field	PASSED	0.839 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
	screenshot		
			
10	And user Modify the Address Status field	PASSED	0.832 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
			
11	And user Modify the Residential status field	FAILED	1.142 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-lki-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Financed , Residential or Occupancy Status *" ng-reflect-model="98303498">...</ion-select> is not clickable at point (663, 474). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20005; --width:792.016px;">...</ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System		

#	Step / Hook Details	Status	Duration
	<p>info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d8cf30bfaf0456b125fef716333a67b2, clickElement {id=b3692ddf-f619-4e18-8b32-41219e678de0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58735}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58735/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d8cf30bfaf0456b125fef716333a67b2)] -> xpath: //ion-label[text()=' Residential or Occupancy Status']/parent::ion-item//ion-select] Session ID: d8cf30bfaf0456b125fef716333a67b2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Customer_Address_Information.user_modify_the_residential_status_field(Customer_Address_Information.java:484) at ?.user Modify the Residential status field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CustomerAddress_details.feature:81) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.163 s
12	And user click the update the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area displays an 'Inbox' table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A single entry is visible with Reference Id 506, Event Code APP_CREATE, Stage Code APPDATAENT, Role Code CPUEXEC, Employee Name in02040, Created Date 15-Sep-2022 10:22, Workflow Code HLW, and Product AHL. Below the table, it says 'Showing 1 to 1 of 1 entries' with pagination controls. The top right of the application shows user settings for English, LOS, and Aze...

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
AP	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) check the functionality of Customer
address details

This screenshot shows the same AZENTIO ONEBanking application but at a different stage. The sidebar menu is identical. The main area is mostly greyed out, indicating a loading or transition state. At the bottom, a navigation bar shows several tabs: Prev, Application Info, Customer details, Additional Customer Info (which is currently selected), Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. Below the navigation bar, there are buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', 'Print', and a help icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

APPLICATION ID

APPLICANT NAME

CUSTOMER ID

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Approve Reject Return Eligibility Check Print

Customer Address

Customer Address

Address Type *
Home

Residential Or Occupancy Status *
Select

Factory Address

Address Line 1 *
Head Quarter Address
AddressLine1

Country *
INDIA

Neighbourhood/District Name *
Place of actual Residence
mumbai

Zip Code *
123456

Mobile Number (Primary)
1234567123

Duration Of Stay
0

Address Status *
Current

Communication Address

Address Line 2 *
Address Line 2

Province Id *
Maharashtra

City Id *
Yavatmal

PO BOX Number
12345

Mobile Number (Primary)
1234567123

Latitude Details Of The Address

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

APPLICATION ID

APPLICANT NAME

CUSTOMER ID

Prev Application Info Customer details Additional Customer Info Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Approve Reject Return Eligibility Check Print

Customer Address

Customer Address

Address Type *
Home

Residential Or Occupancy Status *
Financed

Address Line 1 *
AddressLine1

Country *
INDIA

Neighbourhood/District Name *
mumbai

Zip Code *
123456

Mobile Number (Primary)
1234567123

Duration Of Stay
0

Address Status *
Current

Communication Address

Address Line 2 *
Address Line 2

Province Id *
Maharashtra

City Id *
Yavatmal

PO BOX Number
12345

Mobile Number (Primary)
1234567123

Latitude Details Of The Address

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot displays the 'Customer Address' form within the AZENTIO ONE Banking application. The interface includes a top navigation bar with the application logo, user profile, and language/region settings. A left sidebar contains a menu with options like Dashboard, Configurations, Transactions, and Reports. The main content area shows a breadcrumb trail: 'Prev' > 'Application Info' > 'Customer details' > 'Additional Customer Info' > 'Customer Financials' > 'Facility Info' > 'Document Details' > 'Offering' > 'Repayment Schedule' > 'Policy Check' > 'Fee Details' > 'Next'. The 'Additional Customer Info' tab is active, showing the 'Customer Address' form. The form is divided into two columns. The left column contains fields for 'Address Type' (Home), 'Residential Or Occupancy Status' (Financed), 'Address Line 1' (AddressLine1), 'Country' (INDIA), 'Neighbourhood/District Name' (mumbai), 'Zip Code' (123456), 'Mobile Number (Primary)' (1234567123), and 'Duration Of Stay' (0). The right column contains fields for 'Address Status' (Current), 'Province Id' (Maharastra), 'City Id' (Yavatmal), 'PO BOX Number' (12345), 'Mobile Number (Primary)' (1234567123), and 'Latitude Details Of The Address'. A dropdown menu for 'Address Status' is open, showing 'Current' (selected) and 'Previous'. At the top right of the form, there are buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', and 'Print'.