Cucumber Report

| **Start : Sep 06, 2:33:40.592 pm**	**End : Sep 06, 2:34:13.559 pm**	**Duration : 32.967 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 19 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 21

Features Pass % : 0 %

Scenarios Pass % : 0 %

Steps Pass % : 90 %

#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	32.967 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify user is able to modify existing record of customer details	21	19	1	1	32.963 s

(F)- Check The functionality of the Personal Details App data Entry

FAILED	DURATION - 32.967 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 2:33:40.592 pm // 2:34:13.559 pm /		Pass - 0	1	Pass - 19	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- verify user is able to modify existing record of customer details

FAILED	DURATION - 32.963 s		Steps	
/ 2:33:40.596 pm // 2:34:13.559 pm /			Total - 21	
Check The functionality of the Personal Details App data Entry			Pass - 19	21
			Fail - 1	
@AT_PDE_003			Skip - 1	

| #	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.894 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
2	Then user click on Transaction Module	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.436 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click on Application Details	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
4	And user click on Inbox Icon	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
5	And user click search icon	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
6	And user search Appdata Entry	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user click on First record of Appdata Entry	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
8	And user click on Customer Details Tab	PASSED	0.992 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.603 s
	screenshot		
9	And user click the Add button annd verify it	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.430 s
	screenshot		
10	And user Choose customer Type	PASSED	0.552 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And user Enter CIF ID	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
12	And user Enter Application Number	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
13	And user Enter Customer Name	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
14	And user choose ID Type	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And user Enter ID Number	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
16	And user Enter Mobile Number	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
17	And user Choose Date of Birth	PASSED	1.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
18	And user Enter Email ID	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	And user Click the search button	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
20	And user click on First Record Edit Icon	FAILED	1.161 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-brj-c312="" tooltipposition="top" pbutton="" pripple="" type="button" icon="pi pi-pencil" class="p-element p-button-sm p-button-info p-button-raised p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-pencil" ng-reflect-tooltip-position="top" ng-reflect-text="Edit">...</button> is not clickable at point (375, 261). Other element would receive the click: <ion-select _ngcontent-brj-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-valid ios in-item hydrated ng-touched ng-dirty ion-valid ion-touched ion-dirty" role="button" aria-haspopup="listbox" aria-label=" Individual Customer , Customer Type *" ng-reflect-model="I">...</ion-select> (Session info: chrome=104.0.5112.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4bd458f8b8447231903206d99b1bc95e, clickElement {id=3f7a2dde-0bc4-42bc-b81f-b55cedc814f1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52308}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52308/devtoo..., se:cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4bd458f8b8447231903206d99b1bc95e)] -> xpath: //tbody/tr[1]/td[2]/span[1]/button[1]] Session ID: 4bd458f8b8447231903206d99b1bc95e
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_click_on_first_record_edit_icon(PersonalDetails_AppDataEntry.java:94) at ?.user click on First Record Edit Icon(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:123) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot 		
21	And user verify the customer Type field	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard
Configurations
Transactions
Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard
Configurations
Transactions
Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing
record of customer details

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing
record of customer details

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry