

# Cucumber Report

Jul 25, 2022, 2:38:17 PM

**Start : Jul 25, 2:35:38.669 PM**

**End : Jul 25, 2:38:16.338 PM**

**Duration : 2 m 37.669 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 3**


**SKIPPED - 0**

**PASSED - 21**


**FAILED - 3**

**SKIPPED - 85**







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	4	1	3	0	2 m 37.669 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Master Retail Functionality</u>	<u>Product Master Retail Field validation</u>	13	6	1	6	17.118 s
2	<u>Product Master Retail Functionality</u>	<u>System should not allow user to save the records with invalid data</u>	23	6	1	16	17.997 s
3	<u>Product Master Retail Functionality</u>	<u>verify Checker user is able to Approve the record</u>	64	0	1	63	1 m 45.502 s
4	<u>Product Master Retail Functionality</u>	<u>To verify the view workflow</u>	9	9	0	0	17.009 s





**(F)- Product Master Retail Functionality**


<b>FAILED</b>	<b>DURATION - 2 m 37.669 s</b>	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 109 Pass - 21 Fail - 3 Skip - 85	
/ 2:35:38.669 PM // 2:38:16.338 PM /					


**(S)- Product Master Retail Field validation**

<div>FAILED</div> <div>DURATION - 17.118 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 2:35:38.672 PM // 2:35:55.790 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail				



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then verify functionality and asterik mark of the field Product Code</p> <p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd3b5d09cc2dedabe622b479ba462bdd, sendKeysToElement {id=b22421ec-9ae4-42d1-9a7f-83ace700b63d, value=[Ljava.lang.CharSequence;@27ffd9f8]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58486}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58486/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bd3b5d09cc2dedabe622b479ba462bdd)] -&gt; xpath: //ion-col[3]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]]</p> <p>Session ID: bd3b5d09cc2dedabe622b479ba462bdd</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_code(ProductMaster_Retail.java:75) at ?.verify functionality and asterik mark of the field Product Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:11) </pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.162 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	SKIPPED	0.000 s
9	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
10	Then verify functionality of the field DM Code	SKIPPED	0.000 s
11	Then verify the field Remarks	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s


### (S)- System should not allow user to save the records with invalid data


FAILED		DURATION - 17.997 s			<div>Steps</div> <div>Total - 23</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 16</div>	
/ 2:35:55.814 PM // 2:36:13.811 PM /						
Product Master Retail Functionality						
@ProductMaster_Retail_invalid						

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
3	Then click on Product Setup	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	3.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
7	<p><b>Then verify functionality and asterik mark of the field Product Code</b></p> <p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6ffe0b30d8980be3faa89685bb20db81, sendKeysToElement {id=e0414ea9-3f1a-4d69-92f4-17f17868a0ed, value=[Ljava.lang.CharSequence;@1d944fc0]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58528}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58528/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (6ffe0b30d8980be3faa89685bb20db81)] -&gt; xpath: //ion-col[3]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: 6ffe0b30d8980be3faa89685bb20db81</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_code(ProductMaster_Retail.java:75) at ?.verify functionality and asterik mark of the field Product Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:27) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.181 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
9	Then verify functionality of the field DM Code	SKIPPED	0.000 s
10	Then verify the field Remarks	SKIPPED	0.000 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate the impact of any mandatory field blank	SKIPPED	0.000 s
13	Then verify the functionality of Back button	SKIPPED	0.000 s
14	Then click on Product Master add button	SKIPPED	0.000 s
15	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
16	Then verify functionality and asterik mark of the field Product Code	SKIPPED	0.000 s
17	Then Enter Product Description	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
19	Then verify functionality of the field DM Code	SKIPPED	0.000 s
20	Then verify the field Remarks with special characters value	SKIPPED	0.000 s
21	Then click on save button	SKIPPED	0.000 s
22	Then validate the impact of special characters value in any field	SKIPPED	0.000 s
23	Then user logout from the application	SKIPPED	0.000 s

**(S)- verify Checker user is able to Approve the record**

<div>FAILED</div> <div>DURATION - 1 m 45.502 s</div>			<div>Steps</div> <div>Total - 64</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 63</div>	
/ 2:36:13.822 PM // 2:37:59.324 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				

#	Step / Hook Details	Status	Duration
1	<p>Given User launch the kuls application</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf82c8af91f8fb6d86412770a5978a7f, findElement {using=xpath, value=//ion-segment-button[@ng-reflect-text='Configuration']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58567}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58567/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cf82c8af91f8fb6d86412770a5978a7f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy45.toString(Unknown Source)  at java.base/java.lang.String.valueOf(String.java:4215)  at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298)  at java.base/java.lang.String.valueOf(String.java:4215)  at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:40)  at stepdefinitions.KULS_Login.user_launch_the_kuls_application(KULS_Login.java:29)  at ?.User launch the kuls application(file:///C:/Users/inindc00089/git/Azentio_ULSFframework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:49)  * Not displayable characters are replaced by '?'. </p>	FAILED	1 m 31.814 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.202 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf82c8af91f8fb6d86412770a5978a7f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58567}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58567/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cf82c8af91f8fb6d86412770a5978a7f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)  at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>		
2	And User Login as maker	SKIPPED	0.000 s
3	Then click on Product Setup	SKIPPED	0.000 s
4	Then click on Product Master eye icon	SKIPPED	0.001 s
5	Then click on Product Master add button	SKIPPED	0.000 s
6	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
7	Then verify functionality and asterik mark of the field Product Code	SKIPPED	0.000 s
8	Then Enter Product Description	SKIPPED	0.000 s
9	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
10	Then verify the field Remarks	SKIPPED	0.000 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.001 s
13	Then click on inbox	SKIPPED	0.000 s
14	And open record for Approve	SKIPPED	0.001 s
15	Then submit the Record	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
16	Then click on Product Master eye icon	SKIPPED	0.000 s
17	Then click on Product Master add button	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
19	Then Enter Product Code for Return	SKIPPED	0.001 s
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then validate Success pop up	SKIPPED	0.000 s
25	Then click on inbox	SKIPPED	0.000 s
26	And open record for Return	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.000 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
31	Then Enter Product Code for reject	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Reject	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.000 s
40	Then user logout from the application	SKIPPED	0.000 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.000 s
46	Then Open the record to return it	SKIPPED	0.000 s
47	Then return the record	SKIPPED	0.000 s
48	Then Open the record to reject it	SKIPPED	0.000 s
49	Then reject the record	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
50	Then user logout from the application	SKIPPED	0.000 s
51	Given User launch the kuls application	SKIPPED	0.000 s
52	And User Login as maker	SKIPPED	0.000 s
53	Then click on Product Setup	SKIPPED	0.000 s
54	Then click on Product Master eye icon	SKIPPED	0.000 s
55	Then click on search icon	SKIPPED	0.000 s
56	Then search approved record	SKIPPED	0.000 s
57	Then close the search input field	SKIPPED	0.000 s
58	Then click on search icon	SKIPPED	0.000 s
59	Then search Rejected record	SKIPPED	0.000 s
60	Then close the search input field	SKIPPED	0.000 s
61	Then click on Product Master edit icon	SKIPPED	0.000 s
62	Then click on search icon	SKIPPED	0.001 s
63	Then search the record	SKIPPED	0.000 s
64	Then user logout from the application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.231 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf82c8af91f8fb6d86412770a5978a7f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58567}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58567/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cf82c8af91f8fb6d86412770a5978a7f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		




**(S)- To verify the view workflow**

<div>PASSED</div>	<div>DURATION - 17.009 s</div>	<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 2:37:59.329 PM // 2:38:16.338 PM /</div>			
<div>Product Master Retail Functionality</div>			
<div>@ProductMaster_Retail_viewworkflow</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.986 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
			
3	Then click on Product Setup	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
4	Then click on Product Master edit icon	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
5	Then open the record	PASSED	2.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
			
6	Then click on view summary	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
7	Then verify the fields of view summary	PASSED	0.465 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
8	Then close the view summary	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
			
9	Then user logout from the application	PASSED	0.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens





English

LOS

Azentio Software

Puneet

01-Sep-2023

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p>(S) Product Master Retail Field validation</p>		
<p>(F) Product Master Retail Functionality</p>		
<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p>(S) Product Master Retail Field validation</p>		
<p>(F) Product Master Retail Functionality</p>		

## (F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

Showing 1 to 5 of 115 entries

<<

<

1

2

3

4

5

>

>>

5

>

## (F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
  - Asset Auto Master
  - Asset CD Master
  - Product master**
  - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group \*

Lending

Product Description \*

Select

Deposits

DM Code

Lending

Trade

Remarks

Treasury

Product Code \*

Retail/Corporate \*

Select

### (F) Product Master Retail Functionality

English ▾
LOS ▾
Azentio Software ▾

☰

✖ 🗑️ 📄

- [① Asset Collateral Config](#)
- [① Business Rules](#)
- [① Corporate Masters](#)
- [① Misc Config](#)
- [① Other Masters](#)
- [① Product Definitions](#)
- [① Product Setup](#)
- 🏠 **Product master** ✎ 👁
- [Sub Product Master ✎ 👁](#)
- [Regulatory Product Defini...](#)
- [Project Setup](#)
- [Config Manager](#)

## Product Master

---

Product Group \*

Product Code \*


Product Description \*

Retail/Corporate \*

DM Code

Remarks

## (F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

**AZENTIO™**

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

**AZENTIO™**

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Software interface. The top navigation bar includes a hamburger menu, language (English), location (LOS), software version (Azentio Software), a grid icon, a bell icon, and a user profile (Puneet, 01-Sep-2023). The left sidebar contains a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is empty, and a settings gear icon is visible in the bottom right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Software interface with the Product Master table displayed. The table has columns for Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. There are 5 entries in the table, all with a status of 'Active'. The bottom of the table shows a pagination bar indicating 'Showing 1 to 5 of 115 entries' and a settings gear icon in the bottom right corner.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

### (F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
  - Asset Auto Master
  - Asset CD Master
  - Product master**
  - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

☰

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group \*

Lending

Product Description \*

Select

Deposits

Lending

Trade

Treasury

DM Code

Lending

Remarks

Product Code \*

Retail/Corporate \*

Select

## (F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Confin Manager

English ▼

LOS ▼

Azentio Software ▼

Puneet  
01-Sep-2023

←

Product Master

Product Master

Product Group \*  
Lending

Product Description \*

DM Code

Remarks

Product Code \*

Retail/Corporate \*  
Select



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the view workflow

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the view workflow

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the view workflow


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the view workflow

(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the view workflow

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table lists five entries, all with a status of 'Active'. At the bottom, it says 'Showing 1 to 5 of 161 entries' with pagination controls. The top right of the page shows user information for Puneet, dated 01-Sep-2023.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	PR09	Loan	R	Active	
	98303249	PR06	Loan	R	Active	
	98303249	123	123	R	Active	
	98303249	tt	uu	R	Active	
	98303249	ABC	OK	R	Active	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the view workflow

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area is titled 'Product Master' and contains a form with fields for Product Group (Lending), Product Code (PR09), Product Description (Loan), Retail/Corporate (Retail), DM Code, Status (toggle), and Remarks (HomeLoan). The form has 'Submit', 'Cancel', and 'Info' buttons at the top right. The top right of the page shows user information for Puneet, dated 01-Sep-2023.

Azentio™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

**Product master**

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Submit

Cancel

Product Master

Product Master

Product Group \*  
Lending

Product Code \*  
PR09

Product De  
Loan

DM Code

Remarks

HomeLo

Transaction summary

Close X

User	Stage Code	Status	Start Time	End Time	Remarks
in00135	MAKER	PENDING	25-Jul-2022 13:37		>

## (F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product DefiniL...
- Project Setup
- Config Manager

Submit

Cancel

←

Product Master

Product Master

Product Group \*

Lending

Product Code \*

PR09

Product Description \*

Loan

Retail/Corporate \*

Retail

DM Code

Remarks

HomeLo

Transaction summary

Close X

User	Stage Code	Status	Start Time	End Time	Remarks
in00135	MAKER	PENDING	25-Jul-2022 13:37		>

## (F) Product Master Retail Functionality

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the view workflow

(F) Product Master Retail Functionality

The screenshot shows a web application interface for the 'Product Master' form. At the top right, there are three buttons: 'Submit' (orange), 'Cancel' (white with orange border), and a help icon (white circle with an orange 'i'). Below these is a red button with a white document icon and a green status indicator. The form title 'Product Master' is centered at the top. Below the title, there is a blue horizontal line. The form contains several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR09'), 'Product Description' (text input with 'Loan' and a blue plus icon), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Status' (text input). The form is styled with a light gray background and white input fields.