

# Cucumber Report

Aug 22, 2022, 11:34:17 AM

**Start : Aug 22, 11:33:16.844 AM**

**End : Aug 22, 11:34:17.004 AM**

**Duration : 1 m 0.160 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**


**FAILED - 1**

**SKIPPED - 12**







| # | Feature Name                    | T | P | F | S | Duration    |
|---|---------------------------------|---|---|---|---|-------------|
| 1 | <u>collateral Functionality</u> | 1 | 0 | 1 | 0 | 1 m 0.160 s |






| # | Feature Name                    | Scenario Name   | T  | P | F | S  | Duration    |
|---|---------------------------------|---|----|---|---|----|-------------|
| 1 | <u>collateral Functionality</u> | <u>System should display the proper validation post entering the invalid data and clicking on save button</u> | 19 | 6 | 1 | 12 | 1 m 0.154 s |




**(F)- collateral Functionality**


|  |                               |           |   |            |   |
|--|-------------------------------|-----------|---|------------|---|
| <b>FAILED</b>                          | <b>DURATION - 1 m 0.160 s</b> | Scenarios |  | Steps      |  |
| / 11:33:16.844 AM // 11:34:17.004 AM / |                               | Total - 1 |   | Total - 19 |   |
|  |                               | Pass - 0  |   | Pass - 6   |   |
|  |                               | Fail - 1  |   | Fail - 1   |   |
|  |                               | Skip - 0  |   | Skip - 12  |   |

**(S)- System should display the proper validation post entering the invalid data and clicking on save button**


|   |  |  |       |   |
|---|--|--|-------|---|
| <div>FAILED</div> <div>DURATION - 1 m 0.154 s</div> |  |  | Steps |  |
| / 11:33:16.850 AM // 11:34:17.004 AM /              |  |  |       |   |
| collateral Functionality                            |  |  |       |   |
| @M2 @collateral_InvalidData                         |  |  |       |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application  | PASSED | 4.999 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.282 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And User Login as maker   | PASSED | 4.757 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.178 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |    |        |          |
| 3 | Then click on Asset collateral config   | PASSED | 0.086 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.207 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 4 | Then click on collateral eye icon   | PASSED | 0.192 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.242 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 5 | Then click on collateral add button   | PASSED | 3.150 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.103 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 6 | Then Enter collateral Description   | PASSED | 12.457 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.133 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   |   |        |          |
| 7 | <p><b>Then Enter collateral Module</b></p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//ion-label[contains(text(),'LO')]/../ion-radio)[2]' (tried for 30 second(s) with 1000 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)   at stepdefinitions.Collateral.enter_collateral_module(Collateral.java:146)   at ?.Enter collateral Module(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-label[contains(text(),'LO')]/../ion-radio)[2]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de23e4627fd059fad8d69bcf3e6a1bb1, findElement {using=xpath, value=(//ion-label[contains(text(),'LO')]/../ion-radio)[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:65184}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65184/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: de23e4627fd059fad8d69bcf3e6a1bb1   at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) </pre> | FAILED | 30.711 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)<br>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)<br>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)<br>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)<br>at stepdefinitions.Collateral.enter_collateral_module(Collateral.java:146)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)<br>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)<br>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)<br>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)<br>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)<br>at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)<br>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)<br>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:794) |        |          |


| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | <pre> at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> |         |          |
|    | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>    | PASSED  | 0.127 s  |
| 8  | Then click on collateral Registration Required Toggle   | SKIPPED | 0.000 s  |
| 9  | Then click on collateral Repossession Toggle  | SKIPPED | 0.000 s  |
| 10 | Then Enter collateral Remarks   | SKIPPED | 0.000 s  |
| 11 | Then click on collateral save button  | SKIPPED | 0.000 s  |
| 12 | Then validate the impact of any collateral mandatory field blank  | SKIPPED | 0.000 s  |
| 13 | Then click on collateral back button  | SKIPPED | 0.000 s  |
| 14 | Then click on collateral eye icon   | SKIPPED | 0.000 s  |
| 15 | Then click on collateral add button   | SKIPPED | 0.000 s  |
| 16 | Then Enter collateral Description   | SKIPPED | 0.000 s  |
| 17 | Then Enter special char in Asset collateral Category Code   | SKIPPED | 0.001 s  |
| 18 | Then validate the impact of any collateral field with special char  | SKIPPED | 0.000 s  |
| 19 | Then user logout from the application   | SKIPPED | 0.001 s  |



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should display the proper  
validation post entering the invalid data  
and clicking on save button


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should display the proper  
validation post entering the invalid data  
and clicking on save button


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should display the proper  
validation post entering the invalid data  
and clicking on save button


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should display the proper  
validation post entering the invalid data  
and clicking on save button

(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should display the proper  
validation post entering the invalid data  
and clicking on save button

(F) collateral Functionality

**AZENTIO**  
ONEBanking

List of Asset/Collateral categories

+ [Search] Export

Action

No Records found << < > >> 5

⚙️

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should display the proper  
validation post entering the invalid data  
and clicking on save button

(F) collateral Functionality

**AZENTIO**  
ONEBanking

Asset / Collateral categories

Asset / Collateral Category Detail

Description \* FixedDepo [Icon]

Asset / Collateral Category Code \*

Module \* Select

Registration Required [Toggle]

Repossession Allowed [Toggle]

Remarks \*

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) System should display the proper validation post entering the invalid data and clicking on save button

### (F) collateral Functionality

☰

**AZENTIO**  
ONEBanking

✉

📅

🔔

⚙

Engl...

LOS

Aze...

🔍

🗃

⚙

✂

🕒

←

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

FixedDepo

+

Module \*

Select

Remarks \*

Asset / Collateral Category Code \*

Registration Required

☐

Repossession Allowed

☐