
Duration: 35.638 s Start: Aug 03, 5:21:04.151 PM End: Aug 03, 5:21:39.789 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 13 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 30 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Check the functionality of Property Details screen | 1 | 0 | 1 | 0 | 35.638 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|---|----|---|---|---|----------|
| 1 | Check the functionality of Property | Verify the functionality of Activate/Deactivate button of | 13 | 4 | 1 | 8 | 35.628 s |
| | Details screen | Property Details screen | | | | | |

(F)- Check the functionality of Property Details screen

| FAILED | DURATION - 35.638 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 13 | |
| / 5:21:04.151 PM | 1 // 5:21:39.789 PM / | Pass - 0 | 1 | Pass - 4 | 13 |
| | | Fail - 1. | | Fail - 1 | |
| | | Skip - 0 | | Skip - 8 | |

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 6.341 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.837 s |
| | screenshot | | |
| | AZENTIO IMPORTA | | |
| 2 | And User Login as maker | PASSED | 12.183 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.258 s |
| | screenshot | | |
| | AZENTO Particular Particular | | |
| 3 | Then user should click on the menu toggle from maker stage | PASSED | 0.519 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.318 s |
| | Same Company Same | | |
| 4 | Then click on inbox to search for the Property Details record | PASSED | 0.153 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | screenshot | | |
| | PARTICLE IN THE PARTICLE IN TH | | |
| 5 | Then click on search button to search the record of Property Details in inbox | FAILED | 10.047 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //p-table[1]/div[1]/div[1]/span[2]/button[1]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.imeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.PropertyDetails.click_on_search_button_to_search_the_record_of_property_details_in_inbox(PropertyDetails.java:69) at ?.click on search button to search button_to_search_button_to_search_the_record_of_property_details_in_inbox(PropertyDetails.java:69) at ?.click on search button to search the record of Property Details in inbox(file:///C:/Users/ININDC00091/git/Azentio_ULS/Devesh_ULS_03082023/Devesh_AzentioULSFramework_ExcelTest/src/test/java/features/PropertyDetails.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/p-table[1]/div[1]/div[1]/div[1]/dipan[2]/button[1]"} (Session info: chrome=115.0.5790.111) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK973U', ip: '10.200.4.248', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [44eddcb0a74163b8b4bcfd435d2b899d, findElement {using=xpath, value=//p-table[1]/div[1]/div[1]/div[1]/span[2]/button[1]}} Capabilities {acceptInsecureCerts: false, browserName: chrome browserVersion: 115.0.5790.111, revision: '6-thomedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\user\user\user\user\user\user\user\ | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) | | |
| | at stepdefinitions.PropertyDetails.click_on_search_button_to_search_the_record_of_property_details_in_inbox(PropertyDetails.java:69) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testing.TestNG.run(TestNG.java:1003) at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testing.resitivg.run(resitivg.java.1031) at org.testing.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testing.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testing.remote.RemoteTestNG.main(RemoteTestNG.java:231) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.204 s |
| | screenshot | HASSED | 0.204 3 |
| | | | |
| | AZDITIO SANCO (I II (MA) (MA) (MA) (MA) (MA) (MA) (MA) | | |
| | Binner ◆ notions • | | |
| | X toutes • . © team • | | |
| | | | |
| | | | |
| 6 | Then enter the reference id of the Property Details record | SKIPPED | 0.001 s |
| 7 | Then click on the entitle button of the Property Details record of that reference id | SKIPPED | 0.000 s |
| 8 | Then click on the Property Details tab | SKIPPED | 0.000 s |
| 9 | Then open the record of Property Details to modify | SKIPPED | 0.001 s |
| 10 | Then verify on clicking toggle button system should allow user to change the status of the record as Activate or Deactivate | SKIPPED | 0.000 s |
| 11 | Then verify the Label on button if the status of property details record is Active | SKIPPED | 0.000 s |

DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 12 | Then verify the Label on button if the status of property details record is Deactive | SKIPPED | 0.000 s |
| 13 | Then verify the functionality of Back button on property details screen | SKIPPED | 0.000 s |

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

