# Cucumber Report

| Start : Jul 20, 6:39:17.088 PM | End : Jul 20, 6:39:35.315 PM | Duration : 18.227 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 4<br>FAILED - 1<br>SKIPPED - 10 |

Features: 1

Scenarios: 1

Steps: 15

Pass %: 0 %

Pass %: 0 %

Pass %: 26 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of product master | 1 | 0 | 1 | 0 | 18.227 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---------------|---|---|---|---|----------|
| 1 | Check the functionality of product master | Product Master - Modify records (approve, reject and return) at maker stage | 15 | 4 | 1 | 10 | 18.222 s |

## (F)- Check the functionality of product master

| FAILED | DURATION - 18.227 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 6:39:17.088 PM // 6:39:35.315 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 15<br>Pass - 4<br>Fail - 1<br>Skip - 10 | 15 |

## (S)- Product Master - Modify records (approve, reject and return) at maker stage

| FAILED | DURATION - 18.222 s | | Steps | |
|---|---|---|---|---|
| / 6:39:17.093 PM // 6:39:35.315 PM / | | | Total - 15<br>Pass - 4<br>Fail - 1<br>Skip - 10 | 15 |
| Check the functionality of product master | | | | |
| @M5 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 11.314 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.286 s |
| | screenshot | | |
| | | | |
| 2 | And User Login as maker | PASSED | 0.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.383 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then user should navigate to product master | PASSED | 0.253 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.378 s |
| | screenshot<br> | | |
| 4 | And click on edit view of product master | PASSED | 0.192 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.362 s |
| | screenshot<br> | | |
| 5 | Then click on edit button of record to modify | FAILED | 0.052 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div/button[3])[1]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [52ca8d5dcaa230fb18c6b1c2e6dfb1c7, findElement {using=xpath, value=(//div/button[3])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55982}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55982/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 52ca8d5dcaa230fb18c6b1c2e6dfb1c7<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)<br>at stepdefinitions.ProductMaster_Retail.click_on_edit_button_of_record_to_modify(ProductMaster_Retail.java:53)<br>at ?.click on edit button of record to modify(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:8)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.548 s |
| 6 | Then user should verify the buttons available on screen while modify | SKIPPED | 0.001 s |
| 7 | Then verify system should modify before approved the record | SKIPPED | 0.000 s |
| 8 | And click on eye icon of product master | SKIPPED | 0.000 s |
| 9 | Then verify system should modify already approved record | SKIPPED | 0.000 s |
| 10 | Then verify system allow user to save modified record with valid data | SKIPPED | 0.000 s |
| 11 | Then system should display the confirmation message | SKIPPED | 0.000 s |
| 12 | Then click on inbox button | SKIPPED | 0.000 s |
| 13 | And select the modified record from inbox to approve | SKIPPED | 0.000 s |
| 14 | Then click on submit button | SKIPPED | 0.000 s |
| 15 | Then user verify that system should display confirmation message after submit | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

**AZENTIO**™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾     LOS ▾     Azentio Software ▾

Puneet
01-Sep-2023

Loading...

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

**AZENTIO**™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾     LOS ▾     Azentio Software ▾

Puneet
01-Sep-2023

**Product wise Analysis**

Product-wise Amount Financed                    Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by **Metabase**

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

## Product Master

Export

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|--------|---------------|--------------|---------------------|------------------|--------|----------------------|
| | 98303277 | APL | | I | Active | CHECKER |
| | 98303277 | APL | | I | Active | |
| | 98303275 | APL | | | Active | CHECKER |
| | 98303249 | APL | | I | Active | |
| | 98303249 | HLL | | R | Active | |

Showing 1 to 5 of 132 entries    1   2   3   4   5    5

**Sidebar menu:**
- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

**Top bar:** English | LOS | Azentio Software | Puneet 01-Sep-2023